
PyQGIS developer cookbook

Выпуск 2.14

QGIS Project

08 August 2017

1 Введение	1
1.1 Выполнение кода Python при запуске QGIS	2
1.2 Консоль Python	2
1.3 Расширения на Python	3
1.4 Приложения на Python	3
2 Loading Projects	7
3 Загрузка слоёв	9
3.1 Векторные слои	9
3.2 Растворные слои	11
3.3 Список слоёв карты	11
4 Работа с растворными слоями	13
4.1 Информация о слое	13
4.2 Renderer	13
4.3 Обновление слоёв	15
4.4 Получение значений	15
5 Работа с векторными слоями	17
5.1 Retrieving information about attributes	17
5.2 Selecting features	18
5.3 Обход объектов векторного слоя	18
5.4 Редактирование векторных слоёв	20
5.5 Редактирование векторных слоёв с использованием буфера изменений	21
5.6 Использование пространственного индекса	23
5.7 Запись векторных слоёв	23
5.8 Memory провайдер	24
5.9 Внешний вид (символика) векторных слоёв	25
5.10 Further Topics	33
6 Обработка геометрии	35
6.1 Создание геометрий	35
6.2 Доступ к геометрии	36
6.3 Геометрические предикаты и операции	36
7 Поддержка проекций	39
7.1 Coordinate reference systems	39
7.2 Projections	40
8 Работа с картой	41
8.1 Встраивание карты	42
8.2 Использование инструментов карты	42

8.3 Резиновые полосы и маркеры вершин	43
8.4 Создание собственных инструментов карты	44
8.5 Создание собственных элементов карты	46
9 Отрисовка карты и печать	47
9.1 Простая отрисовка	47
9.2 Rendering layers with different CRS	48
9.3 Вывод с использованием компоновщика карт	48
10 Выражения, фильтрация и вычисление значений	51
10.1 Разбор выражений	52
10.2 Вычисление выражений	52
10.3 Примеры	53
11 Чтение и сохранение настроек	55
12 Communicating with the user	57
12.1 Showing messages. The QgsMessageBar class	57
12.2 Showing progress	58
12.3 Logging	59
13 Разработка расширений на Python	61
13.1 Разработка расширения	62
13.2 Plugin content	63
13.3 Документация	66
13.4 Translation	67
14 IDE settings for writing and debugging plugins	69
14.1 A note on configuring your IDE on Windows	69
14.2 Debugging using Eclipse and PyDev	70
14.3 Debugging using PDB	74
15 Использование слоёв расширений	75
15.1 Наследование QgsPluginLayer	75
16 Совместимость с ранними версиями QGIS	77
16.1 Plugin menu	77
17 Releasing your plugin	79
17.1 Metadata and names	79
17.2 Code and help	79
17.3 Official python plugin repository	80
18 Code Snippets	83
18.1 How to call a method by a key shortcut	83
18.2 How to toggle Layers	83
18.3 How to access attribute table of selected features	83
19 Writing a Processing plugin	85
19.1 Creating a plugin that adds an algorithm provider	85
19.2 Creating a plugin that contains a set of processing scripts	85
20 Библиотека сетевого анализа	87
20.1 Применение	87
20.2 Building a graph	87
20.3 Анализ графа	89
21 QGIS Server Python Plugins	95
21.1 Server Filter Plugins architecture	95
21.2 Raising exception from a plugin	97

21.3	Writing a server plugin	97
21.4	Access control plugin	100
Алфавитный	указатель	105

Введение

- Выполнение кода Python при запуске QGIS
 - PYQGIS_STARTUP environment variable
 - The `startup.py` file
- Консоль Python
- Расширения на Python
- Приложения на Python
 - Using PyQGIS in standalone scripts
 - Using PyQGIS in custom applications
 - Запуск приложений

Этот документ задумывался как учебник и справочное пособие. Вы не найдёте здесь описания всех возможных вариантов использования, это скорее обзор основных функциональных возможностей.

Начиная с версии 0.9, в QGIS появилась возможность поддержки сценариев на языке программирования Python. Мы выбрали Python, так как это один из наиболее известных скриптовых языков. Привязки (bindings) PyQGIS зависят от SIP и PyQt4. Основная причина использования SIP вместо более распространенного SWIG состоит в том, что код QGIS зависит от библиотек Qt. Привязки Python к Qt (PyQt) также создаются с использованием SIP, что позволяет обеспечить прозрачную интеграцию PyQGIS и PyQt.

There are several ways how to use Python bindings in QGIS desktop, they are covered in detail in the following sections:

- automatically run Python code when QGIS starts
- ввод команд в консоли Python QGIS
- создание и использование расширений на Python
- создание собственного приложения на базе QGIS API

Python bindings are also available for QGIS Server:

- starting from 2.8 release, Python plugins are also available on QGIS Server (see: Server Python Plugins)
- starting from 2.11 version (Master at 2015-08-11), QGIS Server library has Python bindings that can be used to embed QGIS Server into a Python application.

Существует полное описание [QGIS API](#), в котором собрана информация обо всех классах библиотек QGIS. QGIS Python API практически идентично C++ API.

A good resource when dealing with plugins is to download some plugins from [plugin repository](#) and examine their code. Also, the `python/plugins/` folder in your QGIS installation contains some plugin that you can use to learn how to develop such plugin and how to perform some of the most common tasks.

1.1 Выполнение кода Python при запуске QGIS

Существуют два различных метода выполнения кода Python при каждом запуске QGIS.

1.1.1 PYQGIS_STARTUP environment variable

You can run Python code just before QGIS initialization completes by setting the PYQGIS_STARTUP environment variable to the path of an existing Python file.

This method is something you will probably rarely need, but worth mentioning here because it is one of the several ways to run Python code within QGIS and because this code will run before QGIS initialization is complete. This method is very useful for cleaning sys.path, which may have undesirable paths, or for isolating/loading the initial environ without requiring a virt env, e.g. homebrew or MacPorts installs on Mac.

1.1.2 The startup.py file

Every time QGIS starts, the user's Python home directory (usually: .qgis2/python) is searched for a file named `startup.py`, if that file exists, it is executed by the embedded Python interpreter.

1.2 Консоль Python

Для небольших сценариев можно воспользоваться встроенной консолью Python. Открыть её можно из меню: *Модули → Консоль Python*. Консоль откроется как немодальное окно:




Рис. 1.1: Консоль QGIS Python

The screenshot above illustrates how to get the layer currently selected in the layer list, show its ID and optionally, if it is a vector layer, show the feature count. For interaction with QGIS environment, there is a `iface` variable, which is an instance of `QgsInterface`. This interface allows access to the map canvas, menus, toolbars and other parts of the QGIS application.

For convenience of the user, the following statements are executed when the console is started (in future it will be possible to set further initial commands)

```
from qgis.core import *
import qgis.utils
```

Тем, кто использует консоль часто, стоит назначить комбинацию клавиш для её вызова (в меню *Установки → Комбинации клавиш...*)

1.3 Расширения на Python

QGIS allows enhancement of its functionality using plugins. This was originally possible only with C++ language. With the addition of Python support to QGIS, it is also possible to use plugins written in Python. The main advantage over C++ plugins is its simplicity of distribution (no compiling for each platform needed) and easier development.

Many plugins covering various functionality have been written since the introduction of Python support. The plugin installer allows users to easily fetch, upgrade and remove Python plugins. See the [Python Plugin Repositories](#) page for various sources of plugins.

Создание расширений на Python — это просто, см. [Разработка расширений на Python](#).

Примечание: Python plugins are also available in QGIS server (*label_qgisserver*), see [QGIS Server Python Plugins](#) for further details.

1.4 Приложения на Python

При обработке ГИС данных часто удобнее создать несколько сценариев, автоматизирующих процесс, чем постоянно выполнять одни и те же действия. Это более чем возможно при использовании PyQGIS — просто импортируйте модуль `qgis.core`, инициализируйте его и всё готово к обработке.

Или же вам может потребоваться интерактивное приложение, обладающее некоторым функционалом ГИС — измерение данных, экспорт карты в формат PDF или что-то ещё. Модуль `qgis.gui` предоставляет различные элементы интерфейса, наиболее важный среди них — виджет карты, который легко интегрируется в приложение и поддерживает масштабирование, панорамирование и/или любые другие инструменты для работы с картой.

PyQGIS custom applications or standalone scripts must be configured to locate the QGIS resources such as projection information, providers for reading vector and raster layers, etc. QGIS Resources are initialized by adding a few lines to the beginning of your application or script. The code to initialize QGIS for custom applications and standalone scripts is similar, but examples of each are provided below.

Примечание: *не* используйте имя `qgis.py` для своих сценариев — Python не сможет импортировать привязки, так как имя сценария будет “затенять” их.

1.4.1 Using PyQGIS in standalone scripts

To start a standalone script, initialize the QGIS resources at the beginning of the script similar to the following code:

```
from qgis.core import *

# supply path to qgis install location
QgsApplication.setPrefixPath("/path/to/qgis/installation", True)

# create a reference to the QgsApplication, setting the
# second argument to False disables the GUI
qgs = QgsApplication([], False)

# load providers
```

```
qgs.initQgis()

# Write your code here to load some layers, use processing algorithms, etc.

# When your script is complete, call exitQgis() to remove the provider and
# layer registries from memory
qgs.exitQgis()
```

We begin by importing the `qgis.core` module and then configuring the prefix path. The prefix path is the location where QGIS is installed on your system. It is configured in the script by calling the `setPrefixPath` method. The second argument of `setPrefixPath` is set to `True`, which controls whether the default paths are used.

The QGIS install path varies by platform; the easiest way to find it for your system is to use the *Konsole Python* from within QGIS and look at the output from running `QgsApplication.prefixPath()`.

After the prefix path is configured, we save a reference to `QgsApplication` in the variable `qgs`. The second argument is set to `False`, which indicates that we do not plan to use the GUI since we are writing a standalone script. With the `QgsApplication` configured, we load the QGIS data providers and layer registry by calling the `qgs.initQgis()` method. With QGIS initialized, we are ready to write the rest of the script. Finally, we wrap up by calling `qgs.exitQgis()` to remove the data providers and layer registry from memory.

1.4.2 Using PyQGIS in custom applications

The only difference between *Using PyQGIS in standalone scripts* and a custom PyQGIS application is the second argument when instantiating the `QgsApplication`. Pass `True` instead of `False` to indicate that we plan to use a GUI.

```
from qgis.core import *

# supply path to qgis install location
QgsApplication.setPrefixPath("/path/to/qgis/installation", True)

# create a reference to the QgsApplication
# setting the second argument to True enables the GUI, which we need to do
# since this is a custom application
qgs = QgsApplication([], True)

# load providers
qgs.initQgis()

# Write your code here to load some layers, use processing algorithms, etc.

# When your script is complete, call exitQgis() to remove the provider and
# layer registries from memory
qgs.exitQgis()
```

Теперь можно работать с API QGIS — загружать слои, выполнять какую-то обработку или создать графическое приложение с картой. Возможности бесконечны :-)

1.4.3 Запуск приложений

Необходимо указать системе где искать библиотеки QGIS и соответствующие модули Python — иначе при запуске появится сообщение об ошибке:

```
>>> import qgis.core
ImportError: No module named qgis.core
```

Для этого необходимо установить переменную окружения PYTHONPATH. В приведенных ниже командах `qgispath` необходимо заменить на реальный путь к каталогу с установленной QGIS:

- в Linux: `export PYTHONPATH=/qgispath/share/qgis/python`
- в Windows: `set PYTHONPATH=c:\qgispath\python`

Теперь путь к модулям PyQGIS известен, но они в свою очередь зависят от библиотек `qgis_core` и `qgis_gui` (модули Python служат всего лишь “обёртками” над этими библиотеками). Обычно, операционной системе неизвестно расположение этих библиотек, поэтому вы получите ошибку импорта еще раз (сообщение может отличаться в зависимости от системы):

```
>>> import qgis.core  
ImportError: libqgis_core.so.1.5.0: cannot open shared object file: No such file or directory
```

Проблема решается путем добавления каталогов с библиотеками QGIS в путь поиска линковщика:

- в Linux: `export LD_LIBRARY_PATH=/qgispath/lib`
- в Windows: `set PATH=C:\qgispath;%PATH%`

Эти команды можно вписать в загрузочный скрипт, который будет настраивать систему перед запуском приложения. При развертывании приложений, использующих PyQGIS, можно использовать один из двух способов:

- требовать от пользователя перед инсталляцией вашего приложения выполнять установку QGIS. Установщик приложения должен выполнять поиск каталогов с библиотеками QGIS и позволять пользователю задать эти каталоги вручную. Преимуществом такого подхода является простота, однако, он требует от пользователя выполнения дополнительных действий.
- поставлять QGIS вместе со своим приложением. Подготовка в выпуску станет более сложной и размер приложения возрастет, но зато пользователи будут избавлены от необходимости загружать и устанавливать дополнительное программное обеспечение.

Эти два подхода можно комбинировать — можно развертывать самостоятельное приложение в Windows и Mac OS X, а в Linux оставить установку QGIS на попечении пользователя и пакетного менеджера.

Loading Projects

Sometimes you need to load an existing project from a plugin or (more often) when developing a stand-alone QGIS Python application (see: [Приложения на Python](#)).

To load a project into the current QGIS application you need a `QgsProject instance()` object and call its `read()` method passing to it a `QFileInfo` object that contains the path from where the project will be loaded:

```
# If you are not inside a QGIS console you first need to import
# qgis and PyQt4 classes you will use in this script as shown below:
from qgis.core import QgsProject
from PyQt4.QtCore import QFileInfo
# Get the project instance
project = QgsProject.instance()
# Print the current project file name (might be empty in case no projects have been loaded)
print project.fileName
u'/home/user/projects/my_qgis_project.qgs'
# Load another project
project.read(QFileInfo('/home/user/projects/my_other_qgis_project.qgs'))
print project.fileName
u'/home/user/projects/my_other_qgis_project.qgs'
```

In case you need to make some modifications to the project (for example add or remove some layers) and save your changes, you can call the `write()` method of your project instance. The `write()` method also accepts an optional `QFileInfo` that allows you to specify a path where the project will be saved:

```
# Save the project to the same
project.write()
# ... or to a new file
project.write(QFileInfo('/home/user/projects/my_new_qgis_project.qgs'))
```

Both `read()` and `write()` funtions return a boolean value that you can use to check if the operation was successful.

Примечание: If you are writing a QGIS standalone application, in order to synchronise the loaded project with the canvas you need to instanciate a `QgsLayerTreeMapCanvasBridge` as in the example below:

```
bridge = QgsLayerTreeMapCanvasBridge( \
    QgsProject.instance().layerTreeRoot(), canvas)
# Now you can safely load your project and see it in the canvas
project.read(QFileInfo('/home/user/projects/my_other_qgis_project.qgs'))
```

Загрузка слоёв

- Векторные слои
- Растральные слои
- Список слоёв карты

Давайте загрузим несколько слоёв с данными. В QGIS слои делятся на векторные и растральные. Кроме того, существуют пользовательские типы слоёв, но их обсуждение выходит за рамки этой книги.

3.1 Векторные слои

To load a vector layer, specify layer's data source identifier, name for the layer and provider's name:

```
layer = QgsVectorLayer(data_source, layer_name, provider_name)
if not layer.isValid():
    print "Layer failed to load!"
```

Идентификатор источника данных это строка, специфичная для каждого провайдера векторных данных. Имя слоя используется в виджете списка слоёв. Необходимо проверять успешно ли завершилась загрузка слоя или нет. В случае каких-либо ошибок возвращается неправильный объект.

The quickest way to open and display a vector layer in QGIS is the addVectorLayer function of the QgisInterface:

```
layer = iface.addVectorLayer("/path/to/shapefile/file.shp", "layer name you like", "ogr")
if not layer:
    print "Layer failed to load!"
```

This creates a new layer and adds it to the map layer registry (making it appear in the layer list) in one step. The function returns the layer instance or *None* if the layer couldn't be loaded.

Ниже показано как получить доступ к различным источникам данных используя провайдеры векторных данных:

- OGR library (shapefiles and many other file formats) — data source is the path to the file:

– for shapefile:

```
vlayer = QgsVectorLayer("/path/to/shapefile/file.shp", "layer_name_you_like", "ogr")
```

– for dxf (note the internal options in data source uri):

```
uri = "/path/to/dxffile/file.dxf|layername=entities|geometrytype=Point"
vlayer = QgsVectorLayer(uri, "layer_name_you_like", "ogr")
```

- PostGIS database — data source is a string with all information needed to create a connection to PostgreSQL database. `QgsDataSourceURI` class can generate this string for you. Note that QGIS has to be compiled with Postgres support, otherwise this provider isn't available:

```
uri = QgsDataSourceURI()
# set host name, port, database name, username and password
uri.setConnection("localhost", "5432", "dbname", "johny", "xxx")
# set database schema, table name, geometry column and optionally
# subset (WHERE clause)
uri.setDataSource("public", "roads", "the_geom", "cityid = 2643")

vlayer = QgsVectorLayer(uri.uri(), "layer name you like", "postgres")
```

- CSV or other delimited text files — to open a file with a semicolon as a delimiter, with field “x” for x-coordinate and field “y” with y-coordinate you would use something like this:

```
uri = "/some/path/file.csv?delimiter=%s&xField=%s % (";, "x", "y")
vlayer = QgsVectorLayer(uri, "layer name you like", "delimitedtext")
```

Note: from QGIS version 1.7 the provider string is structured as a URL, so the path must be prefixed with `file://`. Also it allows WKT (well known text) formatted geometries as an alternative to “x” and “y” fields, and allows the coordinate reference system to be specified. For example:

```
uri = "file:///some/path/file.csv?delimiter=%s&crs=epsg:4723&wktField=%s % (";, "shape")
```

- GPX files — the “gpx” data provider reads tracks, routes and waypoints from gpx files. To open a file, the type (track/route/waypoint) needs to be specified as part of the url:

```
uri = "path/to/gpx/file.gpx?type=track"
vlayer = QgsVectorLayer(uri, "layer name you like", "gpx")
```

- SpatialLite database — supported from QGIS v1.1. Similarly to PostGIS databases, `QgsDataSourceURI` can be used for generation of data source identifier:

```
uri = QgsDataSourceURI()
uri.setDatabase('/home/martin/test-2.3.sqlite')
schema = ''
table = 'Towns'
geom_column = 'Geometry'
uri.setDataSource(schema, table, geom_column)

display_name = 'Towns'
vlayer = QgsVectorLayer(uri.uri(), display_name, 'spatialite')
```

- MySQL WKB-based geometries, through OGR — data source is the connection string to the table:

```
uri = "MySQL:dbname=localhost,port=3306,user=root,password=xxx|layername=my_table"
vlayer = QgsVectorLayer(uri, "my table", "ogr")
```

- WFS connection: the connection is defined with a URI and using the WFS provider:

```
uri = "http://localhost:8080/geoserver/wfs?sriname=EPSG:23030&typename=union&version=1.0.0&request=GetFeat
vlayer = QgsVectorLayer(uri, "my wfs layer", "WFS")
```

The uri can be created using the standard `urllib` library:

```
params = {
    'service': 'WFS',
    'version': '1.0.0',
    'request': 'GetFeature',
    'typename': 'union',
    'sriname': "EPSG:23030"
}
uri = 'http://localhost:8080/geoserver/wfs?' + urllib.unquote(urllib.urlencode(params))
```

Примечание: You can change the data source of an existing layer by calling `setDataSource()` on a `QgsVectorLayer` instance, as in the following example:

```
# layer is a vector layer, uri is a QgsDataSourceURI instance
layer.setDataSource(uri.uri(), "layer name you like", "postgres")
```

3.2 Растворные слои

For accessing raster files, GDAL library is used. It supports a wide range of file formats. In case you have troubles with opening some files, check whether your GDAL has support for the particular format (not all formats are available by default). To load a raster from a file, specify its file name and base name:

```
fileName = "/path/to/raster/file.tif"
fileInfo = QFileInfo(fileName)
baseName = fileInfo.baseName()
rlayer = QgsRasterLayer(fileName, baseName)
if not rlayer.isValid():
    print "Layer failed to load!"
```

Similarly to vector layers, raster layers can be loaded using the `addRasterLayer` function of the `QgisInterface`:

```
iface.addRasterLayer("/path/to/raster/file.tif", "layer name you like")
```

This creates a new layer and adds it to the map layer registry (making it appear in the layer list) in one step.

Raster layers can also be created from a WCS service:

```
layer_name = 'modis'
uri = QgsDataSourceURI()
uri.setParam('url', 'http://demo.mapserver.org/cgi-bin/wcs')
uri.setParam("identifier", layer_name)
rlayer = QgsRasterLayer(str(uri.encodedUri()), 'my wcs layer', 'wcs')
```

detailed URI settings can be found in [provider documentation](#)

Alternatively you can load a raster layer from WMS server. However currently it's not possible to access GetCapabilities response from API — you have to know what layers you want:

```
urlWithParams = 'url=http://wms.jpl.nasa.gov/wms.cgi&layers=global_mosaic&styles=pseudo&format=image/jpeg&crs=EPSG:4326&version=1.3.0&bbox=-180,-90,180,90&width=1000&height=1000&transparent=1&single=1&request=GetMap'
rlayer = QgsRasterLayer(urlWithParams, 'some layer name', 'wms')
if not rlayer.isValid():
    print "Layer failed to load!"
```

3.3 Список слоёв карты

Если вы хотите использовать открытые слои при отрисовке карты — не забудьте добавить их к списку слоёв карты. Список слоёв карты станет их владельцем, а получить доступ к ним можно будет из любой части приложения по уникальному идентификатору. При удалении слоя из списка слоёв карты, происходит его уничтожение.

Adding a layer to the registry:

```
QgsMapLayerRegistry.instance().addMapLayer(layer)
```

Layers are destroyed automatically on exit, however if you want to delete the layer explicitly, use:

```
QgsMapLayerRegistry.instance().removeMapLayer(layer_id)
```

For a list of loaded layers and layer ids, use:

```
QgsMapLayerRegistry.instance().mapLayers()
```

Работа с растровыми слоями

- Информация о слое
- Renderer
 - Одноканальные раstry
 - Многоканальные раstry
- Обновление слоёв
- Получение значений

Этот раздел описывает различные действия, которые можно выполнять с растровыми слоями.

4.1 Информация о слое

A raster layer consists of one or more raster bands — it is referred to as either single band or multi band raster. One band represents a matrix of values. Usual color image (e.g. aerial photo) is a raster consisting of red, blue and green band. Single band layers typically represent either continuous variables (e.g. elevation) or discrete variables (e.g. land use). In some cases, a raster layer comes with a palette and raster values refer to colors stored in the palette:

```
rlayer.width(), rlayer.height()  
(812, 301)  
rlayer.extent()  
<qgis._core.QgsRectangle object at 0x00000000F8A2048>  
rlayer.extent().toString()  
u'12.095833,48.552777 : 18.863888,51.056944'  
rlayer.rasterType()  
2 # 0 = GrayOrUndefined (single band), 1 = Palette (single band), 2 = Multiband  
rlayer.bandCount()  
3  
rlayer.metadata()  
u'<p class="glossy">Driver:</p>...'  
rlayer.hasPyramids()  
False
```

4.2 Renderer

When a raster layer is loaded, it gets a default renderer based on its type. It can be altered either in raster layer properties or programmatically.

To query the current renderer:

```
>>> rlayer.renderer()
<qgis._core.QgsSingleBandPseudoColorRenderer object at 0x7f471c1da8a0>
>>> rlayer.renderer().type()
u'singlebandpseudocolor'
```

To set a renderer use `setRenderer()` method of `QgsRasterLayer`. There are several available renderer classes (derived from `QgsRasterRenderer`):

- `QgsMultiBandColorRenderer`
- `QgsPalettedRasterRenderer`
- `QgsSingleBandColorDataRenderer`
- `QgsSingleBandGrayRenderer`
- `QgsSingleBandPseudoColorRenderer`

Одноканальные растровые слои могут отображаться либо в оттенках серого (малые значения = черный, большие значения = белый) или с использованием псевдоцвета, когда одинаковым значениям присваивается свой цвет. Кроме того, одноканальные растры могут отображаться с использованием палитры. При отображении многоканальных слоёв обычно устанавливается соответствие между каналами и цветами пространства RGB. Ещё один способ — использование одного канала для отрисовки в оттенках серого или в псевдоцвете.

В следующих разделах описано как узнать и изменить стиль отображения слоя. После того, как изменения внесены, потребуется обновить карту, см. [Обновление слоёв](#).

TODO: contrast enhancements, transparency (no data), user defined min/max, band statistics

4.2.1 Одноканальные растры

Let's say we want to render our raster layer (assuming one band only) with colors ranging from green to yellow (for pixel values from 0 to 255). In the first stage we will prepare `QgsRasterShader` object and configure its shader function:

```
>>> fcn = QgsColorRampShader()
>>> fcn.setColorRampType(QgsColorRampShader.INTERPOLATED)
>>> lst = [ QgsColorRampShader.ColorRampItem(0, QColor(0,255,0)), \
           QgsColorRampShader.ColorRampItem(255, QColor(255,255,0)) ]
>>> fcn.setColorRampItemList(lst)
>>> shader = QgsRasterShader()
>>> shader.setRasterShaderFunction(fcn)
```

The shader maps the colors as specified by its color map. The color map is provided as a list of items with pixel value and its associated color. There are three modes of interpolation of values:

- linear (`INTERPOLATED`): resulting color is linearly interpolated from the color map entries above and below the actual pixel value
- discrete (`DISCRETE`): color is used from the color map entry with equal or higher value
- точный (`EXACT`): цвета не интерполируются, отображаются только пиксели со значениями, равными значениям цветовой карты

In the second step we will associate this shader with the raster layer:

```
>>> renderer = QgsSingleBandPseudoColorRenderer(layer.dataProvider(), 1, shader)
>>> layer.setRenderer(renderer)
```

The number 1 in the code above is band number (raster bands are indexed from one).

4.2.2 Многоканальные растры

By default, QGIS maps the first three bands to red, green and blue values to create a color image (this is the `MultiBandColor` drawing style). In some cases you might want to override these setting. The following code interchanges red band (1) and green band (2):

```
rlayer.renderer().setGreenBand(1)
rlayer.renderer().setRedBand(2)
```

In case only one band is necessary for visualization of the raster, single band drawing can be chosen — either gray levels or pseudocolor.

4.3 Обновление слоёв

If you do change layer symbology and would like ensure that the changes are immediately visible to the user, call these methods

```
if hasattr(layer, "setCacheImage"):
    layer.setCacheImage(None)
layer.triggerRepaint()
```

Первая конструкция нужна для того, чтобы убедиться, что при использовании кеша отрисовки кэшированные изображения обновляемого слоя удалены. Этот функционал доступен начиная с QGIS 1.4, в более ранних версиях такой функции нет — поэтому, в начале, чтобы быть уверенными в работоспособности кода во всех версиях QGIS, выполняется проверка на существование метода.

Вторая конструкция вызывает сигнал, который заставляет все карты, содержащие слой, выполнить перерисовку.

With WMS raster layers, these commands do not work. In this case, you have to do it explicitly

```
layer.dataProvider().reloadData()
layer.triggerRepaint()
```

In case you have changed layer symbology (see sections about raster and vector layers on how to do that), you might want to force QGIS to update the layer symbology in the layer list (legend) widget. This can be done as follows (`iface` is an instance of `QgisInterface`)

```
iface.legendInterface().refreshLayerSymbology(layer)
```

4.4 Получение значений

To do a query on value of bands of raster layer at some specified point

```
ident = rlayer.dataProvider().identify(QgsPoint(15.30, 40.98), \
    QgsRaster.IdentifyFormatValue)
if ident.isValid():
    print ident.results()
```

The `results` method in this case returns a dictionary, with band indices as keys, and band values as values.

```
{1: 17, 2: 220}
```


Работа с векторными слоями

- Retrieving information about attributes
- Selecting features
- Обход объектов векторного слоя
 - Accessing attributes
 - Iterating over selected features
 - Iterating over a subset of features
- Редактирование векторных слоёв
 - Добавление объектов
 - Удаление объектов
 - Изменение объектов
 - Добавление и удаление полей
- Редактирование векторных слоёв с использованием буфера изменений
- Использование пространственного индекса
- Запись векторных слоёв
- Memory провайдер
- Внешний вид (символика) векторных слоёв
 - Single Symbol Renderer
 - Categorized Symbol Renderer
 - Graduated Symbol Renderer
 - Working with Symbols
 - * Working with Symbol Layers
 - * Creating Custom Symbol Layer Types
 - Creating Custom Renderers
- Further Topics

Этот раздел описывает различные действия, которые можно выполнять с векторными слоями.

5.1 Retrieving information about attributes

You can retrieve information about the fields associated with a vector layer by calling `pendingFields()` on a `QgsVectorLayer` instance:

```
# "layer" is a QgsVectorLayer instance
for field in layer.pendingFields():
    print field.name(), field.typeName()
```

Примечание: Starting from QGIS 2.12 there is also a `fields()` in `QgsVectorLayer` which is an alias to `pendingFields()`.

5.2 Selecting features

In QGIS desktop, features can be selected in different ways, the user can click on a feature, draw a rectangle on the map canvas or use an expression filter. Selected features are normally highlighted in a different color (default is yellow) to draw user's attention on the selection. Sometimes can be useful to programmatically select features or to change the default color.

To change the selection color you can use `setSelectionColor()` method of `QgsMapCanvas` as shown in the following example:

```
iface.mapCanvas().setSelectionColor( QColor("red") )
```

To add add features to the selected features list for a given layer, you can call `setSelectedFeatures()` passing to it the list of features IDs:

```
# Get the active layer (must be a vector layer)
layer = iface.activeLayer()
# Get the first feature from the layer
feature = layer.getFeatures().next()
# Add this features to the selected list
layer.setSelectedFeatures([feature.id()])
```

To clear the selection, just pass an empty list:

```
layer.setSelectedFeatures([])
```

5.3 Обход объектов векторного слоя

Iterating over the features in a vector layer is one of the most common tasks. Below is an example of the simple basic code to perform this task and showing some information about each feature. the `layer` variable is assumed to have a `QgsVectorLayer` object

```
iter = layer.getFeatures()
for feature in iter:
    # retrieve every feature with its geometry and attributes
    # fetch geometry
    geom = feature.geometry()
    print "Feature ID %d: " % feature.id()

    # show some information about the feature
    if geom.type() == QgsPoint:
        x = geom.asPoint()
        print "Point: " + str(x)
    elif geom.type() == QgsLine:
        x = geom.asPolyline()
        print "Line: %d points" % len(x)
    elif geom.type() == QgsPolygon:
        x = geom.asPolygon()
        numPts = 0
        for ring in x:
            numPts += len(ring)
        print "Polygon: %d rings with %d points" % (len(x), numPts)
    else:
        print "Unknown"

    # fetch attributes
    attrs = feature.attributes()

    # attrs is a list. It contains all the attribute values of this feature
    print attrs
```

5.3.1 Accessing attributes

Attributes can be referred to by their name.

```
print feature['name']
```

Alternatively, attributes can be referred to by index. This is will be a bit faster than using the name. For example, to get the first attribute:

```
print feature[0]
```

5.3.2 Iterating over selected features

If you only need selected features, you can use the `selectedFeatures()` method from vector layer:

```
selection = layer.selectedFeatures()
print len(selection)
for feature in selection:
    # do whatever you need with the feature
```

Another option is the Processing `features()` method:

```
import processing
features = processing.features(layer)
for feature in features:
    # do whatever you need with the feature
```

By default, this will iterate over all the features in the layer, in case there is no selection, or over the selected features otherwise. Note that this behavior can be changed in the Processing options to ignore selections.

5.3.3 Iterating over a subset of features

If you want to iterate over a given subset of features in a layer, such as those within a given area, you have to add a `QgsFeatureRequest` object to the `getFeatures()` call. Here's an example

```
request = QgsFeatureRequest()
request.setFilterRect(areaOfInterest)
for feature in layer.getFeatures(request):
    # do whatever you need with the feature
```

If you need an attribute-based filter instead (or in addition) of a spatial one like shown in the example above, you can build an `QgsExpression` object and pass it to the `QgsFeatureRequest` constructor. Here's an example

```
# The expression will filter the features where the field "location_name" contains
# the word "Lake" (case insensitive)
exp = QgsExpression('location_name ILIKE \'%Lake%\'')

request = QgsFeatureRequest(exp)
```

See [Выражения, фильтрация и вычисление значений](#) for the details about the syntax supported by `QgsExpression`.

The request can be used to define the data retrieved for each feature, so the iterator returns all features, but returns partial data for each of them.

```
# Only return selected fields
request.setSubsetOfAttributes([0,2])
# More user friendly version
request.setSubsetOfAttributes(['name','id'],layer.pendingFields())
```

```
# Don't return geometry objects
request.setFlags(QgsFeatureRequest.NoGeometry)
```

Совет: If you only need a subset of the attributes or you don't need the geometry information, you can significantly increase the speed of the features request by using `QgsFeatureRequest.NoGeometry` flag or specifying a subset of attributes (possibly empty) like shown in the example above.

5.4 Редактирование векторных слоёв

Most vector data providers support editing of layer data. Sometimes they support just a subset of possible editing actions. Use the `capabilities()` function to find out what set of functionality is supported

```
caps = layer.dataProvider().capabilities()
# Check if a particular capability is supported:
caps & QgsVectorDataProvider.DeleteFeatures
# Print 2 if DeleteFeatures is supported
```

For a list of all available capabilities, please refer to the [API Documentation of `QgsVectorDataProvider`](#)

To print layer's capabilities textual description in a comma separated list you can use `capabilitiesString()` as in the following example:

```
caps_string = layer.dataProvider().capabilitiesString()
# Print:
# u'Add Features, Delete Features, Change Attribute Values,
# Add Attributes, Delete Attributes, Create Spatial Index,
# Fast Access to Features at ID, Change Geometries,
# Simplify Geometries with topological validation'
```

By using any of the following methods for vector layer editing, the changes are directly committed to the underlying data store (a file, database etc). In case you would like to do only temporary changes, skip to the next section that explains how to do [*modifications with editing buffer*](#).

Примечание: If you are working inside QGIS (either from the console or from a plugin), it might be necessary to force a redraw of the map canvas in order to see the changes you've done to the geometry, to the style or to the attributes:

```
# If caching is enabled, a simple canvas refresh might not be sufficient
# to trigger a redraw and you must clear the cached image for the layer
if iface.mapCanvas().isCachingEnabled():
    layer.setCacheImage(None)
else:
    iface.mapCanvas().refresh()
```

5.4.1 Добавление объектов

Create some `QgsFeature` instances and pass a list of them to provider's `addFeatures()` method. It will return two values: result (true/false) and list of added features (their ID is set by the data store).

To set up the attributes you can either initialize the feature passing a `QgsFields` instance or call `initAttributes()` passing the number of fields you want to be added.

```
if caps & QgsVectorDataProvider.AddFeatures:
    feat = QgsFeature(layer.pendingFields())
    feat.setAttributes([0, 'hello'])
    # Or set a single attribute by key or by index:
    feat.setAttribute('name', 'hello')
```

```

feat.setAttribute(0, 'hello')
feat.setGeometry(QgsGeometry.fromPoint(QgsPoint(123, 456)))
(res, outFeats) = layer.dataProvider().addFeatures([feat])

```

5.4.2 Удаление объектов

To delete some features, just provide a list of their feature IDs

```

if caps & QgsVectorDataProvider.DeleteFeatures:
    res = layer.dataProvider().deleteFeatures([5, 10])

```

5.4.3 Изменение объектов

It is possible to either change feature's geometry or to change some attributes. The following example first changes values of attributes with index 0 and 1, then it changes the feature's geometry

```

fid = 100 # ID of the feature we will modify

if caps & QgsVectorDataProvider.ChangeAttributeValues:
    attrs = { 0 : "hello", 1 : 123 }
    layer.dataProvider().changeAttributeValues({ fid : attrs })

if caps & QgsVectorDataProvider.ChangeGeometries:
    geom = QgsGeometry.fromPoint(QgsPoint(111,222))
    layer.dataProvider().changeGeometryValues({ fid : geom })

```

Совет: If you only need to change geometries, you might consider using the `QgsVectorLayerEditUtils` which provides some of useful methods to edit geometries (translate, insert or move vertex etc.)

5.4.4 Добавление и удаление полей

To add fields (attributes), you need to specify a list of field definitions. For deletion of fields just provide a list of field indexes.

```

if caps & QgsVectorDataProvider.AddAttributes:
    res = layer.dataProvider().addAttributes([QgsField("mytext", QVariant.String), QgsField("myint", QVariant.Int)])

if caps & QgsVectorDataProvider.DeleteAttributes:
    res = layer.dataProvider().deleteAttributes([0])

```

After adding or removing fields in the data provider the layer's fields need to be updated because the changes are not automatically propagated.

```
layer.updateFields()
```

5.5 Редактирование векторных слоёв с использованием буфера изменений

При редактировании векторных данных в QGIS, сначала необходимо перевести соответствующий слой в режим редактирования, затем внести изменения и, наконец, зафиксировать (или отменить) эти изменения. Все сделанные изменения не применяются до тех пор, пока вы их не зафиксируете — они хранятся в буфере изменений слоя. Данную возможность можно использовать и программно — это всего лишь другой способ редактирования векторных слоёв, дополняющий прямой доступ к провайдеру. Использовать этот функционал стоит тогда, когда пользователю предоставляются

графические инструменты редактирования, чтобы он мог решить когда фиксировать/отменять изменения, а также мог использовать инструменты повтора/отмены. При фиксации изменений, все имеющиеся в буфере операции будут переданы провайдеру.

To find out whether a layer is in editing mode, use `isEditable()` — the editing functions work only when the editing mode is turned on. Usage of editing functions

```
# add two features (QgsFeature instances)
layer.addFeatures([feat1,feat2])
# delete a feature with specified ID
layer.deleteFeature(fid)

# set new geometry (QgsGeometry instance) for a feature
layer.changeGeometry(fid, geometry)
# update an attribute with given field index (int) to given value (QVariant)
layer.changeAttributeValue(fid, fieldIndex, value)

# add new field
layer.addAttribute(QgsField("mytext", QVariant.String))
# remove a field
layer.deleteAttribute(fieldIndex)
```

In order to make undo/redo work properly, the above mentioned calls have to be wrapped into undo commands. (If you do not care about undo/redo and want to have the changes stored immediately, then you will have easier work by *editing with data provider*.) How to use the undo functionality

```
layer.beginEditCommand("Feature triangulation")

# ... call layer's editing methods ...

if problem_occurred:
    layer.destroyEditCommand()
    return

# ... more editing ...

layer.endEditCommand()
```

The `beginEditCommand()` will create an internal “active” command and will record subsequent changes in vector layer. With the call to `endEditCommand()` the command is pushed onto the undo stack and the user will be able to undo/redo it from GUI. In case something went wrong while doing the changes, the `destroyEditCommand()` method will remove the command and rollback all changes done while this command was active.

To start editing mode, there is `startEditing()` method, to stop editing there are `commitChanges()` and `rollBack()` — however normally you should not need these methods and leave this functionality to be triggered by the user.

You can also use the `with edit(layer)`-statement to wrap commit and rollback into a more semantic code block as shown in the example below:

```
with edit(layer):
    f = layer.getFeatures().next()
    f[0] = 5
    layer.updateFeature(f)
```

This will automatically call `commitChanges()` in the end. If any exception occurs, it will `rollBack()` all the changes. In case a problem is encountered within `commitChanges()` (when the method returns False) a `QgsEditError` exception will be raised.

5.6 Использование пространственного индекса

Spatial indexes can dramatically improve the performance of your code if you need to do frequent queries to a vector layer. Imagine, for instance, that you are writing an interpolation algorithm, and that for a given location you need to know the 10 closest points from a points layer, in order to use those point for calculating the interpolated value. Without a spatial index, the only way for QGIS to find those 10 points is to compute the distance from each and every point to the specified location and then compare those distances. This can be a very time consuming task, especially if it needs to be repeated for several locations. If a spatial index exists for the layer, the operation is much more effective.

Think of a layer without a spatial index as a telephone book in which telephone numbers are not ordered or indexed. The only way to find the telephone number of a given person is to read from the beginning until you find it.

Spatial indexes are not created by default for a QGIS vector layer, but you can create them easily. This is what you have to do:

- create spatial index — the following code creates an empty index

```
index = QgsSpatialIndex()
```

- add features to index — index takes `QgsFeature` object and adds it to the internal data structure. You can create the object manually or use one from previous call to provider's `nextFeature()`

```
index.insertFeature(feat)
```

- once spatial index is filled with some values, you can do some queries

```
# returns array of feature IDs of five nearest features
nearest = index.nearestNeighbor(QgsPoint(25.4, 12.7), 5)
```

```
# returns array of IDs of features which intersect the rectangle
intersect = index.intersects(QgsRectangle(22.5, 15.3, 23.1, 17.2))
```

5.7 Запись векторных слоёв

Для записи векторных данных на диск служит класс `QgsVectorFileWriter`. Он позволяет создавать векторные файлы в любом, поддерживаемом OGR, формате (shape-файлы, GeoJSON, KML и другие).

Существует два способа записать векторные данные в файл:

- from an instance of `QgsVectorLayer`

```
error = QgsVectorFileWriter.writeAsVectorFormat(layer, "my_shapes.shp", "CP1250", None, "ESRI Shapefile")

if error == QgsVectorFileWriter.NoError:
    print "success!"

error = QgsVectorFileWriter.writeAsVectorFormat(layer, "my_json.json", "utf-8", None, "GeoJSON")
if error == QgsVectorFileWriter.NoError:
    print "success again!"
```

The third parameter specifies output text encoding. Only some drivers need this for correct operation - shapefiles are one of those --- however in case you are not using international characters you do not have to care much about the encoding. The fourth parameter that we left as “None” may specify destination CRS --- if a valid instance of :class:`QgsCoordinateReferenceSystem` is passed, the layer is transformed to that CRS.

For valid driver names please consult the ‘supported formats by OGR’ --- you should pass the value in the “Code” column as the driver name. Optionally you can set whether to export only selected features, pass further driver-specific options for creation or tell the writer not to create attributes --- look into the documentation for full syntax.

- directly from features

```
# define fields for feature attributes. A QgsFields object is needed
fields = QgsFields()
fields.append(QgsField("first", QVariant.Int))
fields.append(QgsField("second", QVariant.String))

# create an instance of vector file writer, which will create the vector file.
# Arguments:
# 1. path to new file (will fail if exists already)
# 2. encoding of the attributes
# 3. field map
# 4. geometry type - from WKBTYPE enum
# 5. layer's spatial reference (instance of
#    QgsCoordinateReferenceSystem) - optional
# 6. driver name for the output file
writer = QgsVectorFileWriter("my_shapes.shp", "CP1250", fields, QgsWKBPoint, None, "ESRI Shapefile")

if writer.hasError() != QgsVectorFileWriter.NoError:
    print "Error when creating shapefile: ", w.errorMessage()

# add a feature
feat = QgsFeature()
feat.setGeometry(QgsGeometry.fromPoint(QgsPoint(10,10)))
feat.setAttributes([1, "text"])
writer.addFeature(feat)

# delete the writer to flush features to disk
del writer
```

5.8 Memory провайдер

Memory провайдер в основном предназначен для использования разработчиками расширений или сторонних приложений. Этот провайдер не хранит данные на диске, что позволяет разработчикам использовать его в качестве быстрого хранилища для временных слоёв.

Провайдер поддерживает строковые и целочисленные поля, а также поля с плавающей запятой.

Memory провайдер помимо прочего поддерживает и пространственное индексирование, пространственный индекс можно создать вызовав функцию `createSpatialIndex()` провайдера. После создания пространственного индекса обход объектов в пределах небольшой области станет более быстрым (поскольку обращение будет идти только к объектам, попадающим в заданный прямоугольник).

Memory провайдер будет использоваться если в качестве идентификатора провайдера при вызове конструктора `QgsVectorLayer` указана строка “`memory`”.

В конструктор также передается URI, описывающий геометрию слоя, это может быть: “`Point`”, “`LineString`”, “`Polygon`”, “`MultiPoint`”, “`MultiLineString`” или “`MultiPolygon`”.

The URI can also specify the coordinate reference system, fields, and indexing of the memory provider in the URI. The syntax is:

crs=definition Задает используемую систему координат, definition может принимать любой вид, совместимый с `QgsCoordinateReferenceSystem.createFromString()`

index=yes Определяет будет ли провайдер использовать пространственный индекс
field=name:type(length,precision) Задает атрибуты слоя. Каждый атрибут имеет имя и, опционально, тип (целое число, вещественное число или строка), длину и точность. Таких описаний может быть несколько.

The following example of a URI incorporates all these options

```
"Point?crs=epsg:4326&field=id:integer&field=name:string(20)&index=yes"
```

The following example code illustrates creating and populating a memory provider

```
# create layer
vl = QgsVectorLayer("Point", "temporary_points", "memory")
pr = vl.dataProvider()

# add fields
pr.addAttribute([QgsField("name", QVariant.String),
                QgsField("age", QVariant.Int),
                QgsField("size", QVariant.Double)])
vl.updateFields() # tell the vector layer to fetch changes from the provider

# add a feature
fet = QgsFeature()
fet.setGeometry(QgsGeometry.fromPoint(QgsPoint(10,10)))
fet.setAttributes(["Johny", 2, 0.3])
pr.addFeatures([fet])

# update layer's extent when new features have been added
# because change of extent in provider is not propagated to the layer
vl.updateExtents()
```

Finally, let's check whether everything went well

```
# show some stats
print "fields:", len(pr.fields())
print "features:", pr.featureCount()
e = layer.extent()
print "extent:", e.xMinimum(), e.yMinimum(), e.xMaximum(), e.yMaximum()

# iterate over features
f = QgsFeature()
features = vl.getFeatures()
for f in features:
    print "F:", f.id(), f.attributes(), f.geometry().asPoint()
```

5.9 Внешний вид (символика) векторных слоёв

При отрисовке векторного слоя, внешний вид данных определяется **рендером и символами**, ассоциированными со слоем. Символы это классы, занимающиеся отрисовкой визуального представления объектов, а рендер определяет какой символ будет использован для отдельного объекта.

The renderer for a given layer can obtained as shown below:

```
renderer = layer.rendererV2()
```

And with that reference, let us explore it a bit

```
print "Type:", rendererV2.type()
```

В библиотеке ядра QGIS реализовано несколько рендеров:

Тип	Класс	Описание
singleSymbol	<code>QgsSingleSymbolRenderer</code>	Отрисовывает все объекты одним и тем же символом
categorizedSymbol	<code>QgsCategorizedSymbolRenderer</code>	Отрисовывает объекты, используя разные символы для каждой категории
graduatedSymbol	<code>QgsGraduatedSymbolRenderer</code>	Отрисовывает объекты, используя разные символы для каждого диапазона значений

There might be also some custom renderer types, so never make an assumption there are just these types. You can query `QgsRendererV2Registry` singleton to find out currently available renderers:

```
print QgsRendererV2Registry.instance().renderersList()
# Print:
[u'singleSymbol',
 u'categorizedSymbol',
 u'graduatedSymbol',
 u'RuleRenderer',
 u'pointDisplacement',
 u'invertedPolygonRenderer',
 u'heatmapRenderer']
```

It is possible to obtain a dump of a renderer contents in text form — can be useful for debugging

```
print rendererV2.dump()
```

5.9.1 Single Symbol Renderer

Получить символ, используемый для отрисовки, можно вызвав метод `symbol()`, а для его изменения служит метод `setSymbol()` (примечание для пишущих на C++: рендер становится владельцем символа).

You can change the symbol used by a particular vector layer by calling `setSymbol()` passing an instance of the appropriate symbol instance. Symbols for *point*, *line* and *polygon* layers can be created by calling the `createSimple()` function of the corresponding classes `QgsMarkerSymbolV2`, `QgsLineSymbolV2` and `QgsFillSymbolV2`.

The dictionary passed to `createSimple()` sets the style properties of the symbol.

For example you can replace the symbol used by a particular **point** layer by calling `setSymbol()` passing an instance of a `QgsMarkerSymbolV2` as in the following code example:

```
symbol = QgsMarkerSymbolV2.createSimple({'name': 'square', 'color': 'red'})
layer.rendererV2().setSymbol(symbol)
```

`name` indicates the shape of the marker, and can be any of the following:

- circle
- square
- cross
- rectangle
- diamond
- pentagon
- triangle
- equilateral_triangle
- star
- regular_star
- arrow

- filled_arrowhead
- x

To get the full list of properties for the first symbol layer of a symbol instance you can follow the example code:

```
print layer.rendererV2().symbol().symbolLayers()[0].properties()
# Prints
{u'angle': u'0',
u'color': u'0,128,0,255',
u'horizontal_anchor_point': u'1',
u'name': u'circle',
u'offset': u'0,0',
u'offset_map_unit_scale': u'0,0',
u'offset_unit': u'MM',
u'outline_color': u'0,0,0,255',
u'outline_style': u'solid',
u'outline_width': u'0',
u'outline_width_map_unit_scale': u'0,0',
u'outline_width_unit': u'MM',
u'scale_method': u'area',
u'size': u'2',
u'size_map_unit_scale': u'0,0',
u'size_unit': u'MM',
u'vertical_anchor_point': u'1'}
```

This can be useful if you want to alter some properties:

```
# You can alter a single property...
layer.rendererV2().symbol().symbolLayer(0).setName('square')
# ... but not all properties are accessible from methods,
# you can also replace the symbol completely:
props = layer.rendererV2().symbol().symbolLayer(0).properties()
props['color'] = 'yellow'
props['name'] = 'square'
layer.rendererV2().setSymbol(QgsMarkerSymbolV2.createSimple(props))
```

5.9.2 Categorized Symbol Renderer

Узнать и задать поле атрибутивной таблицы, используемое для классификации можно при помощи методов `classAttribute()` и `setClassAttribute()` соответственно.

To get a list of categories

```
for cat in rendererV2.categories():
    print "%s: %s :: %s" % (cat.value().toString(), cat.label(), str(cat.symbol()))
```

Здесь `value()` — величина, используемая для разделения категорий, `label()` — описание категории, а метод `symbol()` возвращает назначенный символ.

Также рендер обычно сохраняет оригинальный символ и цветовую шкалу, которые использовались для классификации, получить их можно вызвав методы `sourceColorRamp()` и `sourceSymbol()` соответственно.

5.9.3 Graduated Symbol Renderer

Этот рендер очень похож на рендер уникальными значениями, описанный выше, но вместо одного значения атрибута для класса он оперирует диапазоном значений и следовательно, может использоваться только с числовыми атрибутами.

To find out more about ranges used in the renderer

```
for ran in rendererV2.ranges():
    print "%f - %f: %s %s" %
        (ran.lowerValue(),
         ran.upperValue(),
         ran.label(),
         str(ran.symbol()))
    )
```

Как и в предыдущем случае, доступны методы `classAttribute()` для получения имени атрибута классификации, `sourceSymbol()` и `sourceColorRamp()` чтобы узнать оригинальный символ и цветовую шкалу. Кроме того, дополнительный метод `mode()` позволяет узнать какой алгоритм использовался для создания диапазонов: равные интервалы, квантили или что-то другое.

If you wish to create your own graduated symbol renderer you can do so as illustrated in the example snippet below (which creates a simple two class arrangement)

```
from qgis.core import *

myVectorLayer = QgsVectorLayer(myVectorPath, myName, 'ogr')
myTargetField = 'target_field'
myRangeList = []
myOpacity = 1
# Make our first symbol and range...
myMin = 0.0
myMax = 50.0
myLabel = 'Group 1'
myColour = QtGui.QColor('#ffee00')
mySymbol1 = QgsSymbolV2.defaultSymbol(myVectorLayer.geometryType())
mySymbol1.setColor(myColour)
mySymbol1.setAlpha(myOpacity)
myRange1 = QgsRendererRangeV2(myMin, myMax, mySymbol1, myLabel)
myRangeList.append(myRange1)
#now make another symbol and range...
myMin = 50.1
myMax = 100
myLabel = 'Group 2'
myColour = QtGui.QColor('#00eaff')
mySymbol2 = QgsSymbolV2.defaultSymbol(
    myVectorLayer.geometryType())
mySymbol2.setColor(myColour)
mySymbol2.setAlpha(myOpacity)
myRange2 = QgsRendererRangeV2(myMin, myMax, mySymbol2, myLabel)
myRangeList.append(myRange2)
myRenderer = QgsGraduatedSymbolRendererV2('', myRangeList)
myRenderer.setMode(QgsGraduatedSymbolRendererV2.EqualInterval)
myRenderer.setClassAttribute(myTargetField)

myVectorLayer.setRendererV2(myRenderer)
QgsMapLayerRegistry.instance().addMapLayer(myVectorLayer)
```

5.9.4 Working with Symbols

Символы представлены базовым классом `QgsSymbolV2` и тремя классами наследниками:

- `QgsMarkerSymbolV2` — for point features
- `QgsLineSymbolV2` — for line features
- `QgsFillSymbolV2` — for polygon features

Каждый символ состоит из одного и более символьных слоёв (классы, унаследованные от `QgsSymbolLayerV2`). Всю работу по отрисовке выполняют слои символа, а символ служит только контейнером для них.

Having an instance of a symbol (e.g. from a renderer), it is possible to explore it: `type()` method says whether it is a marker, line or fill symbol. There is a `dump()` method which returns a brief description of the symbol. To get a list of symbol layers

```
for i in xrange(symbol.symbolLayerCount()):
    lyr = symbol.symbolLayer(i)
    print "%d: %s" % (i, lyr.layerType())
```

Узнать цвет символа можно вызвав метод `color()`, а чтобы изменить его — `setColor()`. У символов типа маркер присутствуют дополнительные методы `size()` и `angle()`, позволяющие узнать размер символа и угол поворота, а у линейных символов есть метод `width()`, возвращающий толщину линии.

Размер и толщина по умолчанию задаются в миллиметрах, а углы — в градусах.

Working with Symbol Layers

Как уже было сказано, слои символа (наследники `QgsSymbolLayerV2`) определяют внешний вид объектов. Существует несколько базовых классов символьных слоёв. Кроме того, можно создавать новые символьные слои и таким образом влиять на отрисовку объектов в достаточно широких пределах. Метод `layerType()` однозначно идентифицирует класс символьного слоя — основными и доступными по умолчанию являются символьные слои `SimpleMarker`, `SimpleLine` и `SimpleFill`.

You can get a complete list of the types of symbol layers you can create for a given symbol layer class like this

```
from qgis.core import QgsSymbolLayerV2Registry
myRegistry = QgsSymbolLayerV2Registry.instance()
myMetadata = myRegistry.symbolLayerMetadata("SimpleFill")
for item in myRegistry.symbolLayersForType(QgsSymbolV2.Marker):
    print item
```

Output

```
EllipseMarker
FontMarker
SimpleMarker
SvgMarker
VectorField
```

Класс `QgsSymbolLayerV2Registry` управляет базой всех доступных символьных слоёв.

Получить доступ к данным символьного слоя можно при помощи метода `properties()`, который возвращает словарь (пары ключ-значение) свойств, влияющих на внешний вид. Символьные слои каждого типа имеют свой набор свойств. Кроме того, существуют общие для всех типов методы `color()`, `size()`, `angle()`, `width()` и соответствующие им сеттеры. Следует помнить, что размер и угол поворота доступны только для символьных слоёв типа маркер, а толщина — только для слоёв типа линия.

Creating Custom Symbol Layer Types

Imagine you would like to customize the way how the data gets rendered. You can create your own symbol layer class that will draw the features exactly as you wish. Here is an example of a marker that draws red circles with specified radius

```
class FooSymbolLayer(QgsMarkerSymbolLayerV2):

    def __init__(self, radius=4.0):
        QgsMarkerSymbolLayerV2.__init__(self)
        self.radius = radius
        self.color = QColor(255,0,0)
```

```
def layerType(self):
    return "FooMarker"

def properties(self):
    return { "radius" : str(self.radius) }

def startRender(self, context):
    pass

def stopRender(self, context):
    pass

def renderPoint(self, point, context):
    # Rendering depends on whether the symbol is selected (QGIS >= 1.5)
    color = context.selectionColor() if context.selected() else self.color
    p = context.renderContext().painter()
    p.setPen(color)
    p.drawEllipse(point, self.radius, self.radius)

def clone(self):
    return FooSymbolLayer(self.radius)
```

Метод `layerType()` определяет имя символьного слоя, которое должно быть уникальным. Чтобы все атрибуты были неизменными, используются свойства. Метод `clone()` должен возвращать копию символьного слоя с точно такими же атрибутами. И наконец, методы отрисовки: `startRender()` вызывается перед отрисовкой первого объекта, а `stopRender()` — после окончания отрисовки. За собственно отрисовку отвечает метод `renderPoint()`. Координаты точки (точек) должны быть трансформированы в выходные координаты.

Для полининий и полигонов единственное отличие будет в методе отрисовки: необходимо использовать `renderPolyline()`, принимающий список линий, или `renderPolygon()` в качестве первого аргумента принимающий список точек, образующих внешнее кольцо, и список внутренних колец (или `None`) вторым аргументом.

Usually it is convenient to add a GUI for setting attributes of the symbol layer type to allow users to customize the appearance: in case of our example above we can let user set circle radius. The following code implements such widget

```
class FooSymbolLayerWidget(QgsSymbolLayerV2Widget):
    def __init__(self, parent=None):
        QgsSymbolLayerV2Widget.__init__(self, parent)

        self.layer = None

        # setup a simple UI
        self.label = QLabel("Radius:")
        self.spinRadius = QDoubleSpinBox()
        self.hbox = QHBoxLayout()
        self.hbox.addWidget(self.label)
        self.hbox.addWidget(self.spinRadius)
        self.setLayout(self.hbox)
        self.connect(self.spinRadius, SIGNAL("valueChanged(double)"), \
                    self.radiusChanged)

    def setSymbolLayer(self, layer):
        if layer.layerType() != "FooMarker":
            return
        self.layer = layer
        self.spinRadius.setValue(layer.radius)

    def symbolLayer(self):
        return self.layer
```

```
def radiusChanged(self, value):
    self.layer.radius = value
    self.emit(SIGNAL("changed()"))
```

Этот виджет можно встроить в диалог свойств символа. Когда символьный слой выделяется в диалоге свойств символа, создается экземпляр символьного слоя и экземпляр виджета символьного слоя. Затем вызывается метод `setSymbolLayer()` чтобы привязать символьный слой к виджету. В этом методе виджет должен обновить интерфейс, чтобы отразить атрибуты символьного слоя. Функция `symbolLayer()` используется диалогом свойств для получения измененного символьного слоя для дальнейшего использования.

При каждом изменении атрибутов виджет должен посылать сигнал `changed()`, чтобы диалог свойств мог обновить предпросмотр символа.

Остался последний штрих: рассказать QGIS о существовании этих новых классов. Для этого достаточно добавить символьный слой в реестр. Конечно, можно использовать символьный слой и не добавляя его в реестр, но тогда некоторые возможности будут недоступны: например, загрузка проекта с пользовательскими символьными слоями или невозможность редактировать свойства слоя.

We will have to create metadata for the symbol layer

```
class FooSymbolLayerMetadata(QgsSymbolLayerV2AbstractMetadata):

    def __init__(self):
        QgsSymbolLayerV2AbstractMetadata.__init__(self, "FooMarker", QgsSymbolV2.Marker)

    def createSymbolLayer(self, props):
        radius = float(props[QString("radius")]) if QString("radius") in props else 4.0
        return FooSymbolLayer(radius)

    def createSymbolLayerWidget(self):
        return FooSymbolLayerWidget()

QgsSymbolLayerV2Registry.instance().addSymbolLayerType(FooSymbolLayerMetadata())
```

В конструктор родительского класса необходимо передать тип слоя (тот же, что сообщает слой) и тип символа (маркер/линия/заливка). `createSymbolLayer()` создаёт экземпляр символьного слоя с атрибутами, указанными в словаре `props`. (Будьте внимательны, ключи являются экземплярами `QString`, а не объектами “str”). Метод `createSymbolLayerWidget()` должен возвращать виджет настроек этого символьного слоя.

Последней конструкцией мы добавляем символьный слой в реестр — на этом все.

5.9.5 Creating Custom Renderers

Возможность создать свой рендер может быть полезной, если требуется изменить правила выбора символов для отрисовки объектов. Примерами таких ситуаций могут быть: символ должен определяться на основании значений нескольких полей, размер символа должен зависеть от текущего масштаба и т.д.

The following code shows a simple custom renderer that creates two marker symbols and chooses randomly one of them for every feature

```
import random

class RandomRenderer(QgsFeatureRendererV2):
    def __init__(self, syms=None):
        QgsFeatureRendererV2.__init__(self, "RandomRenderer")
        self.syms = syms if syms else [QgsSymbolV2.defaultSymbol(QGis.Point), QgsSymbolV2.defaultSymbol(QGis.Point)]

    def symbolForFeature(self, feature):
```

```
    return random.choice(self.syms)

    def startRender(self, context, vlayer):
        for s in self.syms:
            s.startRender(context)

    def stopRender(self, context):
        for s in self.syms:
            s.stopRender(context)

    def usedAttributes(self):
        return []

    def clone(self):
        return RandomRendererer(self.syms)
```

В конструктор родительского класса QgsFeatureRendererV2 необходимо передать имя рендерера (должно быть уникальным). Метод symbolForFeature() определяет какой символ будет использоваться для конкретного объекта. startRender() и stopRender() выполняют инициализацию/финализацию отрисовки символа. Метод usedAttributes() может возвращать список имен полей, которые необходимы рендереру. И, наконец, функция clone() должна возвращать копию рендерера.

Like with symbol layers, it is possible to attach a GUI for configuration of the renderer. It has to be derived from QgsRendererV2Widget. The following sample code creates a button that allows user to set symbol of the first symbol

```
class RandomRendererWidget(QgsRendererV2Widget):
    def __init__(self, layer, style, renderer):
        QgsRendererV2Widget.__init__(self, layer, style)
        if renderer is None or renderer.type() != "RandomRenderer":
            self.r = RandomRenderer()
        else:
            self.r = renderer
        # setup UI
        self.btn1 = QgsColorButtonV2()
        self.btn1.setColor(self.r.syms[0].color())
        self.vbox = QVBoxLayout()
        self.vbox.addWidget(self.btn1)
        self.setLayout(self.vbox)
        self.connect(self.btn1, SIGNAL("clicked()"), self.setColor1)

    def setColor1(self):
        color = QColorDialog.getColor(self.r.syms[0].color(), self)
        if not color.isValid(): return
        self.r.syms[0].setColor(color);
        self.btn1.setColor(self.r.syms[0].color())

    def renderer(self):
        return self.r
```

В конструктор передается экземпляры активного слоя (QgsVectorLayer), глобальный стиль (QgsStyleV2) и текущий рендер. Если рендер не задан или имеет другой тип, он будет заменен нашим рендером, в противном случае мы будем использовать текущий рендер (который нам и нужен). Необходимо обновить содержимое виджета, чтобы отразить текущее состояние рендера. При закрытии диалога рендерера, вызывается метод renderer() виджета чтобы получить текущий рендер — он будет назначен слою.

The last missing bit is the renderer metadata and registration in registry, otherwise loading of layers with the renderer will not work and user will not be able to select it from the list of renderers. Let us finish our RandomRenderer example

```

class RandomRendererMetadata(QgsRendererV2AbstractMetadata):
    def __init__(self):
        QgsRendererV2AbstractMetadata.__init__(self, "RandomRenderer", "Random renderer")

    def createRenderer(self, element):
        return RandomRenderer()
    def createRendererWidget(self, layer, style, renderer):
        return RandomRendererWidget(layer, style, renderer)

QgsRendererV2Registry.instance().addRenderer(RandomRendererMetadata())

```

Так же, как и в случае символьных слоёв, абстрактный конструктор метаданных должен получить имя рендера, отображаемое имя и, по желанию, название иконки рендера. Метод `createRenderer()` получает экземпляр `QDomElement`, который может использоваться для восстановления состояния рендера из дерева DOM. Метод `createRendererWidget()` отвечает за создание виджета настройки. Он может отсутствовать или возвращать `None`, если рендер не имеет интерфейса.

To associate an icon with the renderer you can assign it in `QgsRendererV2AbstractMetadata` constructor as a third (optional) argument — the base class constructor in the `RandomRendererMetadata` `__init__()` function becomes

```

QgsRendererV2AbstractMetadata.__init__(self,
                                       "RandomRenderer",
                                       "Random renderer",
                                       QIcon(QPixmap("RandomRendererIcon.png", "png")))

```

Иконку можно назначить и позже, воспользовавшись методом `setIcon()` класса метаданных. Иконка может загружаться из файла (как показано выше) или из ресурсов Qt (в составе PyQt4 присутствует компилятор .qrc для Python).

5.10 Further Topics

TODO: creating/modifying symbols working with style (`QgsStyleV2`) working with color ramps (`QgsVectorColorRampV2`) rule-based renderer (see [this blogpost](#)) exploring symbol layer and renderer registries

Обработка геометрии

- Создание геометрий
- Доступ к геометрии
- Геометрические предикаты и операции

Points, linestrings and polygons that represent a spatial feature are commonly referred to as geometries. In QGIS they are represented with the `QgsGeometry` class. All possible geometry types are nicely shown in [JTS discussion page](#).

Sometimes one geometry is actually a collection of simple (single-part) geometries. Such a geometry is called a multi-part geometry. If it contains just one type of simple geometry, we call it multi-point, multi-linestring or multi-polygon. For example, a country consisting of multiple islands can be represented as a multi-polygon.

Координаты, описывающие геометрию, могут быть в любой системе координат (CRS). Когда выполняется доступ к объектам слоя, ассоциированные геометрии будут выданы с координатами в СК слоя.

6.1 Создание геометрий

There are several options for creating a geometry:

- from coordinates

```
gPnt = QgsGeometry.fromPoint(QgsPoint(1,1))
gLine = QgsGeometry.fromPolyline([QgsPoint(1, 1), QgsPoint(2, 2)])
gPolygon = QgsGeometry.fromPolygon([[QgsPoint(1, 1), QgsPoint(2, 2), QgsPoint(2, 1)]])
```

Координаты задаются при помощи класса `QgsPoint`.

Полилиния описывается массивом точек. Полигон представляется как список линейных колец (например, замкнутых линий). Первое кольцо — внешнее (граница), последующие не обязательные кольца описывают дырки в полигоне.

Составные геометрии имеют дополнительный уровень вложенности, так: мульти-точка это список точек, мульти-линия — список линий и мульти-полигон является списком полигонов.

- from well-known text (WKT)

```
gem = QgsGeometry.fromWkt("POINT(3 4)")
```

- from well-known binary (WKB)

```
g = QgsGeometry()
g.setWkbAndOwnership(wkb, len(wkb))
```

6.2 Доступ к геометрии

First, you should find out geometry type, `wkbType()` method is the one to use — it returns a value from `QGis.WkbType` enumeration

```
>>> gPnt.wkbType() == QGis.WKBPoint
True
>>> gLine.wkbType() == QGis.WKBLinestring
True
>>> gPolygon.wkbType() == QGis.WKBpolygon
True
>>> gPolygon.wkbType() == QGis.WKBMultipolygon
False
```

As an alternative, one can use `type()` method which returns a value from `QGis.GeometryType` enumeration. There is also a helper function `isMultipart()` to find out whether a geometry is multipart or not.

To extract information from geometry there are accessor functions for every vector type. How to use accessors

```
>>> gPnt.asPoint()
(1, 1)
>>> gLine.asPolyline()
[(1, 1), (2, 2)]
>>> gPolygon.asPolygon()
[[[(1, 1), (2, 2), (2, 1), (1, 1)]]]
```

Примечание: очередь (x,y) не является настоящей очередью, это объект `QgsPoint`, а к его значениям можно обратиться при помощи методов `x()` и `y()`.

Для составных геометрий существуют аналогичные функции доступа: `asMultiPoint()`, `asMultiPolyline()`, `asMultiPolygon()`.

6.3 Геометрические предикаты и операции

QGIS uses GEOS library for advanced geometry operations such as geometry predicates (`contains()`, `intersects()`, ...) and set operations (`union()`, `difference()`, ...). It can also compute geometric properties of geometries, such as area (in the case of polygons) or lengths (for polygons and lines)

Here you have a small example that combines iterating over the features in a given layer and performing some geometric computations based on their geometries.

```
# we assume that 'layer' is a polygon layer
features = layer.getFeatures()
for f in features:
    geom = f.geometry()
    print "Area:", geom.area()
    print "Perimeter:", geom.length()
```

Areas and perimeters don't take CRS into account when computed using these methods from the `QgsGeometry` class. For a more powerful area and distance calculation, the `QgsDistanceArea` class can be used. If projections are turned off, calculations will be planar, otherwise they'll be done on the ellipsoid. When an ellipsoid is not set explicitly, WGS84 parameters are used for calculations.

```
d = QgsDistanceArea()
d.setEllipsoidalMode(True)

print "distance in meters: ", d.measureLine(QgsPoint(10,10),QgsPoint(11,11))
```

You can find many example of algorithms that are included in QGIS and use these methods to analyze and transform vector data. Here are some links to the code of a few of them.

Additional information can be found in following sources:

- Geometry transformation: [Reproject algorithm](#)
- Distance and area using the `QgsDistanceArea` class: [Distance matrix algorithm](#)
- Multi-part to single-part algorithm

Поддержка проекций

- Coordinate reference systems
- Projections

7.1 Coordinate reference systems

Coordinate reference systems (CRS) are encapsulated by `QgsCoordinateReferenceSystem` class. Instances of this class can be created by several different ways:

- specify CRS by its ID

```
# PostGIS SRID 4326 is allocated for WGS84
crs = QgsCoordinateReferenceSystem(4326, QgsCoordinateReferenceSystem.PostgisCrsId)
```

QGIS uses three different IDs for every reference system:

- `PostgisCrsId` — IDs used within PostGIS databases.
- `InternalCrsId` — IDs internally used in QGIS database.
- `EpsgCrsId` — IDs assigned by the EPSG organization

If not specified otherwise in second parameter, PostGIS SRID is used by default.

- specify CRS by its well-known text (WKT)

```
wkt = 'GEOGCS ["WGS84", DATUM ["WGS84", SPHEROID ["WGS84", 6378137.0, 298.257223563]], PRIMEM ["Greenwich", 0.0], UNIT ["degree", 0.017453292519943295], AXIS ["Longitude", EAST], AXIS ["Latitude", NORTH]]'
crs = QgsCoordinateReferenceSystem(wkt)
```

- create invalid CRS and then use one of the `create*`() functions to initialize it. In following example we use Proj4 string to initialize the projection

```
crs = QgsCoordinateReferenceSystem()
crs.createFromProj4("+proj=longlat +ellps=WGS84 +datum=WGS84 +no_defs")
```

It's wise to check whether creation (i.e. lookup in the database) of the CRS has been successful: `isValid()` must return `True`.

Note that for initialization of spatial reference systems QGIS needs to look up appropriate values in its internal database `srs.db`. Thus in case you create an independent application you need to set paths correctly with `QgsApplication.setPrefixPath()` otherwise it will fail to find the database. If you are running the commands from QGIS python console or developing a plugin you do not care: everything is already set up for you.

Accessing spatial reference system information

```
print "QGIS CRS ID:", crs.srsid()
print "PostGIS SRID:", crs.srid()
print "EPSG ID:", crs.epsg()
print "Description:", crs.description()
print "Projection Acronym:", crs.projectionAcronym()
print "Ellipsoid Acronym:", crs.ellipsoidAcronym()
print "Proj4 String:", crs.proj4String()
# check whether it's geographic or projected coordinate system
print "Is geographic:", crs.geographicFlag()
# check type of map units in this CRS (values defined in Qgs::units enum)
print "Map units:", crs.mapUnits()
```

7.2 Projections

You can do transformation between different spatial reference systems by using `QgsCoordinateTransform` class. The easiest way to use it is to create source and destination CRS and construct `QgsCoordinateTransform` instance with them. Then just repeatedly call `transform()` function to do the transformation. By default it does forward transformation, but it is capable to do also inverse transformation

```
crsSrc = QgsCoordinateReferenceSystem(4326)      # WGS 84
crsDest = QgsCoordinateReferenceSystem(32633)    # WGS 84 / UTM zone 33N
xform = QgsCoordinateTransform(crsSrc, crsDest)

# forward transformation: src -> dest
pt1 = xform.transform(QgsPoint(18,5))
print "Transformed point:", pt1

# inverse transformation: dest -> src
pt2 = xform.transform(pt1, QgsCoordinateTransform.ReverseTransform)
print "Transformed back:", pt2
```

Работа с картой

- Встраивание карты
- Использование инструментов карты
- Резиновые полосы и маркеры вершин
- Создание собственных инструментов карты
- Создание собственных элементов карты

Виджет “карта” (Map Canvas) является одним из наиболее важных, так как именно он отвечает за отображение карты, состоящей из наложенных друг на друга слоёв, и позволяет взаимодействовать как со всей картой, так и с отдельными слоями. Виджет отображает только часть карты, заданную текущим охватом. Взаимодействие выполняется при помощи **инструментов карты** (map tools): среди которых присутствуют инструменты панорамирования, масштабирования, определения слоёв, измерения, редактирования и другие. Как и в других программах, активным в каждый момент времени может быть только один инструмент, при необходимости выполняется переключение между ними.

Map canvas is implemented as `QgsMapCanvas` class in `qgis.gui` module. The implementation is based on the Qt Graphics View framework. This framework generally provides a surface and a view where custom graphics items are placed and user can interact with them. We will assume that you are familiar enough with Qt to understand the concepts of the graphics scene, view and items. If not, please make sure to read the [overview of the framework](#).

Всякий раз, когда пользователь выполняет панорамирование, масштабирование (или любое другое действие, вызывающее обновление карты), происходит перерисовка карты в пределах текущего охвата. Отрисовка слоёв выполняется в изображение (за это отвечает класс `QgsMapRenderer`), которое затем отображается на карте. Графическим объектом (в терминах фреймворка Qt — graphics view), отвечающим за отображение карты, является класс `QgsMapCanvasMap`. Этот же класс следит за обновлением карты. Помимо этого объекта, который служит фоном, может существовать множество **элементов карты**. Обычно, в роли элементов карты выступают “резиновые” линии (используемые при измерении и редактировании слоёв) или маркеры вершин. Чаще всего элементы карты используются для визуализации работы инструментов карты. Например, при создании нового полигона, инструмент карты создает “резиновый” элемент карты, показывающий текущую форму полигона. Все элементы карты являются наследниками `QgsMapCanvasItem` и добавляют свой функционал к базовому объекту `QGraphicsItem`.

Таким образом, архитектурно карта состоит из трёх элементов:

- карта — для отображения данных
- элементы карты — дополнительные объекты, которые можно отобразить на карте
- инструменты карты — обеспечивают взаимодействие с картой

8.1 Встраивание карты

Map canvas is a widget like any other Qt widget, so using it is as simple as creating and showing it

```
canvas = QgsMapCanvas()
canvas.show()
```

Этот код создаст новое окно с картой. Точно так же можно встраивать карту в существующий виджет или окно. При использовании Qt Designer и файлов .ui удобно делать так: на форму положить QWidget и объявить его новым классом, установив в качестве имени класса QgsMapCanvas и qgis.gui в качестве заголовочного файла. Всё остальное сделает программа ruuic4. Как видите, это очень простой и удобный способ встраивания карты в приложение. Ещё один способ — создать виджет карты и другие элементы интерфейса динамически (в качестве дочерних объектов основного или диалогового окна) и разместить их на компоновке.

By default, map canvas has black background and does not use anti-aliasing. To set white background and enable anti-aliasing for smooth rendering

```
canvas.setCanvasColor(Qt.white)
canvas.enableAntialiasing(True)
```

(если вас интересует, то приставка `Qt` используется модулем PyQt4.QtCore а `Qt.white` это один из предварительно заданных экземпляров `QColor`.)

Now it is time to add some map layers. We will first open a layer and add it to the map layer registry. Then we will set the canvas extent and set the list of layers for canvas

```
layer = QgsVectorLayer(path, name, provider)
if not layer.isValid():
    raise IOError, "Failed to open the layer"

# add layer to the registry
QgsMapLayerRegistry.instance().addMapLayer(layer)

# set extent to the extent of our layer
canvas.setExtent(layer.extent())

# set the map canvas layer set
canvas.setLayerSet([QgsMapCanvasLayer(layer)])
```

После выполнения этих команд на карте должен отобразиться загруженный слой.

8.2 Использование инструментов карты

The following example constructs a window that contains a map canvas and basic map tools for map panning and zooming. Actions are created for activation of each tool: panning is done with `QgsMapToolPan`, zooming in/out with a pair of `QgsMapToolZoom` instances. The actions are set as checkable and later assigned to the tools to allow automatic handling of checked/unchecked state of the actions – when a map tool gets activated, its action is marked as selected and the action of the previous map tool is deselected. The map tools are activated using `setMapTool()` method.

```
from qgis.gui import *
from PyQt4.QtGui import QAction, QMainWindow
from PyQt4.QtCore import SIGNAL, Qt, QString

class MyWnd(QMainWindow):
    def __init__(self, layer):
        QMainWindow.__init__(self)

        self.canvas = QgsMapCanvas()
```

```

    self.canvas.setCanvasColor(Qt.white)

    self.canvas.setExtent(layer.extent())
    self.canvas.setLayerSet([QgsMapCanvasLayer(layer)])

    self.setCentralWidget(self.canvas)

    actionZoomIn = QAction(QString("Zoom in"), self)
    actionZoomOut = QAction(QString("Zoom out"), self)
    actionPan = QAction(QString("Pan"), self)

    actionZoomIn.setCheckable(True)
    actionZoomOut.setCheckable(True)
    actionPan.setCheckable(True)

    self.connect(actionZoomIn, SIGNAL("triggered()"), self.zoomIn)
    self.connect(actionZoomOut, SIGNAL("triggered()"), self.zoomOut)
    self.connect(actionPan, SIGNAL("triggered()"), self.pan)

    self.toolbar = self.addToolBar("Canvas actions")
    self.toolbar.addAction(actionZoomIn)
    self.toolbar.addAction(actionZoomOut)
    self.toolbar.addAction(actionPan)

# create the map tools
self.toolPan = QgsMapToolPan(self.canvas)
self.toolPan.setAction(actionPan)
self.toolZoomIn = QgsMapToolZoom(self.canvas, False) # false = in
self.toolZoomIn.setAction(actionZoomIn)
self.toolZoomOut = QgsMapToolZoom(self.canvas, True) # true = out
self.toolZoomOut.setAction(actionZoomOut)

self.pan()

def zoomIn(self):
    self.canvas.setMapTool(self.toolZoomIn)

def zoomOut(self):
    self.canvas.setMapTool(self.toolZoomOut)

def pan(self):
    self.canvas.setMapTool(self.toolPan)

```

You can put the above code to a file, e.g. `mywnd.py` and try it out in Python console within QGIS. This code will put the currently selected layer into newly created canvas

```

import mywnd
w = mywnd.MyWnd(qgis.utils.iface.activeLayer())
w.show()

```

Just make sure that the `mywnd.py` file is located within Python search path (`sys.path`). If it isn't, you can simply add it: `sys.path.insert(0, '/my/path')` — otherwise the import statement will fail, not finding the module.

8.3 Резиновые полосы и маркеры вершин

To show some additional data on top of the map in canvas, use map canvas items. It is possible to create custom canvas item classes (covered below), however there are two useful canvas item classes for convenience: `QgsRubberBand` for drawing polylines or polygons, and `QgsVertexMarker` for drawing points. They both work with map coordinates, so the shape is moved/scaled automatically when the

canvas is being panned or zoomed.

To show a polyline

```
r = QgsRubberBand(canvas, False) # False = not a polygon
points = [QgsPoint(-1, -1), QgsPoint(0, 1), QgsPoint(1, -1)]
r.setGeometry(QgsGeometry.fromPolyline(points), None)
```

To show a polygon

```
r = QgsRubberBand(canvas, True) # True = a polygon
points = [[QgsPoint(-1, -1), QgsPoint(0, 1), QgsPoint(1, -1)]]
r.setGeometry(QgsGeometry.fromPolygon(points), None)
```

Обратите внимание, что узлы полигона представлены не плоским списком: на самом деле это список границ полигона. Первое кольцо описывает внешний контур, все остальные (не обязательные) — соответствуют дыркам в полигоне.

Rubber bands allow some customization, namely to change their color and line width

```
r.setColor(QColor(0, 0, 255))
r.setWidth(3)
```

The canvas items are bound to the canvas scene. To temporarily hide them (and show again, use the `hide()` and `show()` combo. To completely remove the item, you have to remove it from the scene of the canvas

```
canvas.scene().removeItem(r)
```

(при использовании C++ можно просто удалить элемент, однако в Python `del r` удалит только ссылку, а сам объект останется на месте, т.к. его владельцем является карта)

Rubber band can be also used for drawing points, however `QgsVertexMarker` class is better suited for this (`QgsRubberBand` would only draw a rectangle around the desired point). How to use the vertex marker

```
m = QgsVertexMarker(canvas)
m.setCenter(QgsPoint(0, 0))
```

This will draw a red cross on position [0,0]. It is possible to customize the icon type, size, color and pen width

```
m.setColor(QColor(0, 255, 0))
m.setIconSize(5)
m.setIconType(QgsVertexMarker.ICON_BOX) # or ICON_CROSS, ICON_X
m.setPenWidth(3)
```

For temporary hiding of vertex markers and removing them from canvas, the same applies as for the rubber bands.

8.4 Создание собственных инструментов карты

You can write your custom tools, to implement a custom behaviour to actions performed by users on the canvas.

Map tools should inherit from the `QgsMapTool` class or any derived class, and selected as active tools in the canvas using the `setMapTool()` method as we have already seen.

Here is an example of a map tool that allows to define a rectangular extent by clicking and dragging on the canvas. When the rectangle is defined, it prints its boundary coordinates in the console. It uses the rubber band elements described before to show the selected rectangle as it is being defined.

```

class RectangleMapTool(QgsMapToolEmitPoint):
    def __init__(self, canvas):
        self.canvas = canvas
        QgsMapToolEmitPoint.__init__(self, self.canvas)
        self.rubberBand = QgsRubberBand(self.canvas, Qgs.Polygon)
        self.rubberBand.setColor(Qt.red)
        self.rubberBand.setWidth(1)
        self.reset()

    def reset(self):
        self.startPoint = self.endPoint = None
        self.isEmittingPoint = False
        self.rubberBand.reset(QGis.Polygon)

    def canvasPressEvent(self, e):
        self.startPoint = self.toMapCoordinates(e.pos())
        self.endPoint = self.startPoint
        self.isEmittingPoint = True
        self.showRect(self.startPoint, self.endPoint)

    def canvasReleaseEvent(self, e):
        self.isEmittingPoint = False
        r = self.rectangle()
        if r is not None:
            print "Rectangle:", r.xMinimum(), r.yMinimum(), r.xMaximum(), r.yMaximum()

    def canvasMoveEvent(self, e):
        if not self.isEmittingPoint:
            return

        self.endPoint = self.toMapCoordinates(e.pos())
        self.showRect(self.startPoint, self.endPoint)

    def showRect(self, startPoint, endPoint):
        self.rubberBand.reset(QGis.Polygon)
        if startPoint.x() == endPoint.x() or startPoint.y() == endPoint.y():
            return

        point1 = QgsPoint(startPoint.x(), startPoint.y())
        point2 = QgsPoint(startPoint.x(), endPoint.y())
        point3 = QgsPoint(endPoint.x(), endPoint.y())
        point4 = QgsPoint(endPoint.x(), startPoint.y())

        self.rubberBand.addPoint(point1, False)
        self.rubberBand.addPoint(point2, False)
        self.rubberBand.addPoint(point3, False)
        self.rubberBand.addPoint(point4, True)      # true to update canvas
        self.rubberBand.show()

    def rectangle(self):
        if self.startPoint is None or self.endPoint is None:
            return None
        elif self.startPoint.x() == self.endPoint.x() or self.startPoint.y() == self.endPoint.y():
            return None

        return QgsRectangle(self.startPoint, self.endPoint)

    def deactivate(self):
        super(RectangleMapTool, self).deactivate()
        self.emit(SIGNAL("deactivated()"))

```

8.5 Создание собственных элементов карты

TODO: how to create a map canvas item

```
import sys
from qgis.core import QgsApplication
from qgis.gui import QgsMapCanvas

def init():
    a = QgsApplication(sys.argv, True)
    QgsApplication.setPrefixPath('/home/martin/qgis.inst', True)
    QgsApplication.initQgis()
    return a

def show_canvas(app):
    canvas = QgsMapCanvas()
    canvas.show()
    app.exec_()
app = init()
show_canvas(app)
```

Отрисовка карты и печать

- Простая отрисовка
- Rendering layers with different CRS
- Вывод с использованием компоновщика карт
 - Вывод в растровое изображение
 - Вывод в формате PDF

Существует два способа получить печатную карту из исходных данных: простой и быстрый используя `QgsMapRenderer` или создание и тщательная настройка компоновки используя `QgsComposition` и сопутствующие классы.

9.1 Простая отрисовка

Render some layers using `QgsMapRenderer` — create destination paint device (`QImage`, `QPainter` etc.), set up layer set, extent, output size and do the rendering

```
# create image
img = QImage(QSize(800, 600), QImage.Format_ARGB32_Premultiplied)

# set image's background color
color = QColor(255, 255, 255)
img.fill(color.rgb())

# create painter
p = QPainter()
p.begin(img)
p.setRenderHint(QPainter.Antialiasing)

render = QgsMapRenderer()

# set layer set
lst = [layer.getLayerID()] # add ID of every layer
render.setLayerSet(lst)

# set extent
rect = QgsRectangle(render.fullExtent())
rect.scale(1.1)
render.setExtent(rect)

# set output size
render.setOutputSize(img.size(), img.logicalDpiX())

# do the rendering
render.render(p)
```

```
p.end()  
  
# save image  
img.save("render.png", "png")
```

9.2 Rendering layers with different CRS

If you have more than one layer and they have a different CRS, the simple example above will probably not work: to get the right values from the extent calculations you have to explicitly set the destination CRS and enable OTF reprojection as in the example below (only the renderer configuration part is reported)

```
...  
# set layer set  
layers = QgsMapLayerRegistry.instance().mapLayers()  
lst = layers.keys()  
render.setLayerSet(lst)  
  
# Set destination CRS to match the CRS of the first layer  
render.setDestinationCrs(layers.values()[0].crs())  
# Enable OTF reprojection  
render.setProjectionsEnabled(True)  
...
```

9.3 Вывод с использованием компоновщика карт

Компоновщик карт это удобный инструмент для создания более сложных печатных карт, по сравнению с простой отрисовкой описанной выше. Используя компоновщик можно создавать составные компоновки, содержащие карты, подписи, легенду, таблицы и другие элементы, которые обычно присутствуют на печатных картах. Готовую компоновку можно экспортить в PDF, растровое изображение или сразу же распечатать на принтере.

The composer consists of a bunch of classes. They all belong to the core library. QGIS application has a convenient GUI for placement of the elements, though it is not available in the GUI library. If you are not familiar with [Qt Graphics View framework](#), then you are encouraged to check the documentation now, because the composer is based on it. Also check the [Python documentation of the implementation of QGraphicsView](#).

The central class of the composer is `QgsComposition` which is derived from `QGraphicsScene`. Let us create one

```
mapRenderer = iface.mapCanvas().mapRenderer()  
c = QgsComposition(mapRenderer)  
c.setPlotStyle(QgsComposition.Print)
```

Обратите внимание, что компоновка принимает в качестве параметра экземпляр `QgsMapRenderer`. Предполагается, что код выполняется в среде QGIS и поэтому используется рендер активной карты. Компоновка использует различные параметры рендера, и самое главное — набор слоёв карты и текущий охват. При использовании компоновщика в самостоятельном приложении необходимо создать свой собственный экземпляр рендера, как это показано в разделе выше, и передать его в компоновку.

К компоновке можно добавлять разные элементы (карту, подписи, ...) — все они являются потомками класса `QgsComposerItem`. В настоящее время доступны следующие элементы:

- map — this item tells the libraries where to put the map itself. Here we create a map and stretch it over the whole paper size

```
x, y = 0, 0
w, h = c.paperWidth(), c.paperHeight()
composerMap = QgsComposerMap(c, x, y, w, h)
c.addItem(composerMap)
```

- label — allows displaying labels. It is possible to modify its font, color, alignment and margin

```
composerLabel = QgsComposerLabel(c)
composerLabel.setText("Hello world")
composerLabel.adjustSizeToText()
c.addItem(composerLabel)
```

- legend

```
legend = QgsComposerLegend(c)
legend.model().setLayerSet(mapRenderer.layerSet())
c.addItem(legend)
```

- scale bar

```
item = QgsComposerScaleBar(c)
item.setStyle('Numeric') # optionally modify the style
item.setComposerMap(composerMap)
item.applyDefaultSize()
c.addItem(item)
```

- стрелка севера
- изображение
- фигура
- таблица

By default the newly created composer items have zero position (top left corner of the page) and zero size. The position and size are always measured in millimeters

```
# set label 1cm from the top and 2cm from the left of the page
composerLabel.setItemPosition(20, 10)
# set both label's position and size (width 10cm, height 3cm)
composerLabel.setItemPosition(20, 10, 100, 30)
```

A frame is drawn around each item by default. How to remove the frame

```
composerLabel.setFrame(False)
```

Помимо создания элементов компоновки вручную QGIS поддерживает шаблоны компоновок, которые являются компоновками со всеми элементами, сохраненными в файл .qpt (формат XML). К сожалению, этот функционал пока ещё не доступен в API.

После того как компоновка готова (все элементы созданы и добавлены к компоновке), можно приступать к представлению результатов в растровой или векторной форме.

The default output settings for composition are page size A4 and resolution 300 DPI. You can change them if necessary. The paper size is specified in millimeters

```
c.setPaperSize(width, height)
c.setPrintResolution(dpi)
```

9.3.1 Вывод в растровое изображение

The following code fragment shows how to render a composition to a raster image

```
dpi = c.printResolution()
dpmm = dpi / 25.4
width = int(dpmm * c.paperWidth())
height = int(dpmm * c.paperHeight())

# create output image and initialize it
image = QImage(QSize(width, height), QImage.Format_ARGB32)
image.setDotsPerMeterX(dpmm * 1000)
image.setDotsPerMeterY(dpmm * 1000)
image.fill(0)

# render the composition
imagePainter = QPainter(image)
sourceArea = QRectF(0, 0, c.paperWidth(), c.paperHeight())
targetArea = QRectF(0, 0, width, height)
c.render(imagePainter, targetArea, sourceArea)
imagePainter.end()

image.save("out.png", "png")
```

9.3.2 Вывод в формате PDF

The following code fragment renders a composition to a PDF file

```
printer = QPrinter()
printer.setOutputFormat(QPrinter.PdfFormat)
printer.setOutputFileName("out.pdf")
printer.setPaperSize(QSizeF(c.paperWidth(), c.paperHeight()), QPrinter.Millimeter)
printer.setFullPage(True)
printer.setColorMode(QPrinter.Color)
printer.setResolution(c.printResolution())

pdfPainter = QPainter(printer)
paperRectMM = printer.pageRect(QPrinter.Millimeter)
paperRectPixel = printer.pageRect(QPrinter.DevicePixel)
c.render(pdfPainter, paperRectPixel, paperRectMM)
pdfPainter.end()
```

Выражения, фильтрация и вычисление значений

- Разбор выражений
- Вычисление выражений
 - Простые выражения
 - Выражения с объектами
 - Handling errors
- Примеры

QGIS has some support for parsing of SQL-like expressions. Only a small subset of SQL syntax is supported. The expressions can be evaluated either as boolean predicates (returning True or False) or as functions (returning a scalar value). See *vector_expressions* in the User Manual for a complete list of available functions.

Поддерживается три основных типа данных:

- число — как целые, так и десятичные, например, 123, 3.14
- строка — должна заключаться в одинарные кавычки: 'hello world'
- ссылка на столбец — при вычислении ссылка заменяется на значение поля. Имена полей не экранируются.

Доступны следующие операции:

- арифметические операторы: +, -, *, /, ^
- скобки: для изменения приоритета операций: (1 + 1) * 3
- унарный плюс и минус: -12, +5
- математические функции: sqrt, sin, cos, tan, asin, acos, atan
- conversion functions: to_int, to_real, to_string, to_date
- геометрические функции: \$area, \$length
- geometry handling functions: \$x, \$y, \$geometry, num_geometries, centroid

And the following predicates are supported:

- сравнение: =, !=, >, >=, <, <=
- соответствие образцу: LIKE (using % and _), ~ (регулярные выражения)
- логические операторы: AND, OR, NOT
- проверка на NULL: IS NULL, IS NOT NULL

Примеры предикатов:

- 1 + 2 = 3
- sin(angle) > 0

- 'Hello' LIKE 'He%'
- (x > 10 AND y > 10) OR z = 0

Примеры скалярных выражений:

- $2 ^ 10$
- $\text{sqrt}(\text{val})$
- $\$length + 1$

10.1 Разбор выражений

```
>>> exp = QgsExpression('1 + 1 = 2')
>>> exp.hasParserError()
False
>>> exp = QgsExpression('1 + 1 = ')
>>> exp.hasParserError()
True
>>> exp.parserErrorString()
 PyQt4.QtCore.QString(u'syntax error, unexpected $end')
```

10.2 Вычисление выражений

10.2.1 Простые выражения

```
>>> exp = QgsExpression('1 + 1 = 2')
>>> value = exp.evaluate()
>>> value
1
```

10.2.2 Выражения с объектами

The following example will evaluate the given expression against a feature. "Column" is the name of the field in the layer.

```
>>> exp = QgsExpression('Column = 99')
>>> value = exp.evaluate(feature, layer.pendingFields())
>>> bool(value)
True
```

You can also use `QgsExpression.prepare()` if you need check more than one feature. Using `QgsExpression.prepare()` will increase the speed that `evaluate` takes to run.

```
>>> exp = QgsExpression('Column = 99')
>>> exp.prepare(layer.pendingFields())
>>> value = exp.evaluate(feature)
>>> bool(value)
True
```

10.2.3 Handling errors

```
exp = QgsExpression("1 + 1 = 2 ")
if exp.hasParserError():
    raise Exception(exp.parserErrorString())
```

```
value = exp.evaluate()
if exp.hasEvalError():
    raise ValueError(exp.evalErrorString())

print value
```

10.3 Примеры

Следующие примеры могут использоваться для фильтрации слоя и возвращения объектов, удовлетворяющих условию.

```
def where(layer, exp):
    print "Where"
    exp = QgsExpression(exp)
    if exp.hasParserError():
        raise Exception(exp.parserErrorString())
    exp.prepare(layer.pendingFields())
    for feature in layer.getFeatures():
        value = exp.evaluate(feature)
        if exp.hasEvalError():
            raise ValueError(exp.evalErrorString())
        if bool(value):
            yield feature

layer = qgis.utils.iface.activeLayer()
for f in where(layer, 'Test > 1.0'):
    print f + " Matches expression"
```

Чтение и сохранение настроек

Часто бывает полезным сохранить некоторые параметры расширения, чтобы пользователю не приходилось заново вводить или выбирать их при каждом запуске расширения.

These variables can be saved and retrieved with help of Qt and QGIS API. For each variable, you should pick a key that will be used to access the variable — for user's favourite color you could use key "favourite_color" or any other meaningful string. It is recommended to give some structure to naming of keys.

Необходимо различать следующие типы настроек:

- **global settings** — they are bound to the user at particular machine. QGIS itself stores a lot of global settings, for example, main window size or default snapping tolerance. This functionality is provided directly by Qt framework by the means of `QSettings` class. By default, this class stores settings in system's "native" way of storing settings, that is — registry (on Windows), .plist file (on Mac OS X) or .ini file (on Unix). The `QSettings` documentation is comprehensive, so we will provide just a simple example

```
def store():
    s = QSettings()
    s.setValue("myplugin/mytext", "hello world")
    s.setValue("myplugin/myint", 10)
    s.setValue("myplugin/myreal", 3.14)

def read():
    s = QSettings()
    mytext = s.value("myplugin/mytext", "default text")
    myint = s.value("myplugin/myint", 123)
    myreal = s.value("myplugin/myreal", 2.71)
```

The second parameter of the `value()` method is optional and specifies the default value if there is no previous value set for the passed setting name.

- **project settings** — vary between different projects and therefore they are connected with a project file. Map canvas background color or destination coordinate reference system (CRS) are examples — white background and WGS84 might be suitable for one project, while yellow background and UTM projection are better for another one. An example of usage follows

```
proj = QgsProject.instance()

# store values
proj.writeEntry("myplugin", "mytext", "hello world")
proj.writeEntry("myplugin", "myint", 10)
proj.writeEntry("myplugin", "mydouble", 0.01)
proj.writeEntry("myplugin", "mybool", True)

# read values
mytext = proj.readEntry("myplugin", "mytext", "default text")[0]
myint = proj.readNumEntry("myplugin", "myint", 123)[0]
```

As you can see, the `writeEntry()` method is used for all data types, but several methods exist for reading the setting value back, and the corresponding one has to be selected for each data type.

- **map layer settings** — these settings are related to a particular instance of a map layer with a project. They are *not* connected with underlying data source of a layer, so if you create two map layer instances of one shapefile, they will not share the settings. The settings are stored in project file, so if the user opens the project again, the layer-related settings will be there again. This functionality has been added in QGIS v1.4. The API is similar to `QSettings` — it takes and returns `QVariant` instances

```
# save a value
layer.setCustomProperty("mytext", "hello world")

# read the value again
mytext = layer.customProperty("mytext", "default text")
```

Communicating with the user

- Showing messages. The `QgsMessageBar` class
- Showing progress
- Logging

This section shows some methods and elements that should be used to communicate with the user, in order to keep consistency in the User Interface.

12.1 Showing messages. The `QgsMessageBar` class

Using message boxes can be a bad idea from a user experience point of view. For showing a small info line or a warning/error messages, the QGIS message bar is usually a better option.

Using the reference to the QGIS interface object, you can show a message in the message bar with the following code

```
from qgis.gui import QgsMessageBar
iface.messageBar().pushMessage("Error", "I'm sorry Dave, I'm afraid I can't do that", level=QgsMessageBar.CRITICAL)
```




Рис. 12.1: QGIS Message bar

You can set a duration to show it for a limited time

```
iface.messageBar().pushMessage("Error", "Ooops, the plugin is not working as it should", level=QgsMessageBar.Critical, duration=5000)
```




Рис. 12.2: QGIS Message bar with timer

The examples above show an error bar, but the `level` parameter can be used to creating warning messages or info messages, using the `QgsMessageBar.WARNING` and `QgsMessageBar.INFO` constants respectively.




Рис. 12.3: QGIS Message bar (info)

Widgets can be added to the message bar, like for instance a button to show more info

```
def showError():
    pass

widget = iface.messageBar().createMessage("Missing Layers", "Show Me")
button = QPushButton(widget)
button.setText("Show Me")
button.pressed.connect(showError)
widget.layout().addWidget(button)
iface.messageBar().pushWidget(widget, QgsMessageBar.WARNING)
```




Рис. 12.4: QGIS Message bar with a button

You can even use a message bar in your own dialog so you don't have to show a message box, or if it doesn't make sense to show it in the main QGIS window

```
class MyDialog(QDialog):
    def __init__(self):
        QDialog.__init__(self)
        self.bar = QgsMessageBar()
        self.bar.setSizePolicy( QSizePolicy.Minimum, QSizePolicy.Fixed )
        self.setLayout(QGridLayout())
        self.layout().setContentsMargins(0, 0, 0, 0)
        self.buttonbox = QDialogButtonBox(QDialogButtonBox.Ok)
        self.buttonbox.accepted.connect(self.run)
        self.layout().addWidget(self.buttonbox, 0, 0, 2, 1)
        self.layout().addWidget(self.bar, 0, 0, 1, 1)

    def run(self):
        self.bar.pushMessage("Hello", "World", level=QgsMessageBar.INFO)
```

12.2 Showing progress

Progress bars can also be put in the QGIS message bar, since, as we have seen, it accepts widgets. Here is an example that you can try in the console.

```
import time
from PyQt4.QtGui import QProgressBar
from PyQt4.QtCore import *
progressMessageBar = iface.messageBar().createMessage("Doing something boring...")
progress = QProgressBar()
progress.setMaximum(10)
```




Рис. 12.5: QGIS Message bar in custom dialog

```
progress.setAlignment(Qt.AlignLeft|Qt.AlignVCenter)
progressMessageBar.layout().addWidget(progress)
iface.messageBar().pushWidget(progressMessageBar, iface.messageBar().INFO)
for i in range(10):
    time.sleep(1)
    progress.setValue(i + 1)
iface.messageBar().clearWidgets()
```

Also, you can use the built-in status bar to report progress, as in the next example

```
count = layers.featureCount()
for i, feature in enumerate(features):
    #do something time-consuming here
    ...
    percent = i / float(count) * 100
    iface mainWindow().statusBar().showMessage("Processed {} %".format(int(percent)))
iface mainWindow().statusBar().clearMessage()
```

12.3 Logging

You can use the QGIS logging system to log all the information that you want to save about the execution of your code.

```
# You can optionally pass a 'tag' and a 'level' parameters
QgsMessageLog.logMessage("Your plugin code has been executed correctly", 'MyPlugin', QgsMessageLog.INFO)
QgsMessageLog.logMessage("Your plugin code might have some problems", level=QgsMessageLog.WARNING)
QgsMessageLog.logMessage("Your plugin code has crashed!", level=QgsMessageLog.CRITICAL)
```


Разработка расширений на Python

- Разработка расширения
 - Plugin files
- Plugin content
 - Plugin metadata
 - `__init__.py`
 - `mainPlugin.py`
 - Файл ресурсов
- Документация
- Translation
 - Software requirements
 - Files and directory
 - * `.pro file`
 - * `.ts file`
 - * `.qm file`
 - Load the plugin

Для разработки расширений можно использовать язык программирования Python. По сравнению с классическими расширениями, написанными на C++, их легче разрабатывать, понимать, поддерживать и распространять в силу динамической природы самого Python.

Python plugins are listed together with C++ plugins in QGIS plugin manager. They are searched for in these paths:

- UNIX/Mac: `~/.qgis2/python/plugins` and `(qgis_prefix)/share/qgis/python/plugins`
- Windows: `~/.qgis2/python/plugins` and `(qgis_prefix)/python/plugins`

Home directory (denoted by above `~`) on Windows is usually something like `C:\Documents and Settings\user` (on Windows XP or earlier) or `C:\Users\user`. Since QGIS is using Python 2.7, subdirectories of these paths have to contain an `__init__.py` file to be considered Python packages that can be imported as plugins.

Примечание: By setting `QGIS_PLUGINPATH` to an existing directory path, you can add this path to the list of paths that are searched for plugins.

Шаги:

1. *Идея:* Прежде всего нужна идея для нового расширения QGIS. Зачем это нужно? Какую задачу необходимо решить? Может, есть готовое расширение для решения этой задачи?
2. *Create files:* Create the files described next. A starting point (`__init__.py`). Fill in the *Plugin metadata* (`metadata.txt`) A main python plugin body (`mainplugin.py`). A form in QT-Designer (`form.ui`), with its `resources.qrc`.
3. *Write code:* Write the code inside the `mainplugin.py`

4. *Тестирование:* Закройте и снова откроите QGIS, загрузите своё расширение. Проверьте, что всё работает как надо.
5. *Publish:* Publish your plugin in QGIS repository or make your own repository as an “arsenal” of personal “GIS weapons”.

13.1 Разработка расширения

Since the introduction of Python plugins in QGIS, a number of plugins have appeared - on [Plugin Repositories wiki page](#) you can find some of them, you can use their source to learn more about programming with PyQGIS or find out whether you are not duplicating development effort. The QGIS team also maintains an [Official python plugin repository](#). Ready to create a plugin but no idea what to do? [Python Plugin Ideas wiki page](#) lists wishes from the community!

13.1.1 Plugin files

Here's the directory structure of our example plugin

```
PYTHON_PLUGINS_PATH/
MyPlugin/
__init__.py      --> *required*
mainPlugin.py   --> *required*
metadata.txt    --> *required*
resources.qrc   --> *likely useful*
resources.py    --> *compiled version, likely useful*
form.ui         --> *likely useful*
form.py         --> *compiled version, likely useful*
```

Для чего используются файлы:

- **`__init__.py`** = The starting point of the plugin. It has to have the `classFactory()` method and may have any other initialisation code.
- **`mainPlugin.py`** = The main working code of the plugin. Contains all the information about the actions of the plugin and the main code.
- **`resources.qrc`** = The .xml document created by Qt Designer. Contains relative paths to resources of the forms.
- **`resources.py`** = The translation of the .qrc file described above to Python.
- **`form.ui`** = The GUI created by Qt Designer.
- **`form.py`** = The translation of the form.ui described above to Python.
- **`metadata.txt`** = Required for QGIS >= 1.8.0. Contains general info, version, name and some other metadata used by plugins website and plugin infrastructure. Since QGIS 2.0 the metadata from `__init__.py` are not accepted anymore and the `metadata.txt` is required.

Here is an online automated way of creating the basic files (skeleton) of a typical QGIS Python plugin.

Also there is a QGIS plugin called [Plugin Builder](#) that creates plugin template from QGIS and doesn't require internet connection. This is the recommended option, as it produces 2.0 compatible sources.

Предупреждение: If you plan to upload the plugin to the [Official python plugin repository](#) you must check that your plugin follows some additional rules, required for plugin *Validation*

13.2 Plugin content

Here you can find information and examples about what to add in each of the files in the file structure described above.

13.2.1 Plugin metadata

First, plugin manager needs to retrieve some basic information about the plugin such as its name, description etc. File `metadata.txt` is the right place to put this information.

Важно: All metadata must be in UTF-8 encoding.

Metadata name	Required	Notes
имя	True	a short string containing the name of the plugin
qgisMinimumVersion	False	dotted notation of minimum QGIS version
qgisMaximumVersion	False	dotted notation of maximum QGIS version
description	True	short text which describes the plugin, no HTML allowed
about	True	longer text which describes the plugin in details, no HTML allowed
version	True	short string with the version dotted notation
author	True	author name
email	True	email of the author, not shown in the QGIS plugin manager or in the website unless by a registered logged in user, so only visible to other plugin authors and plugin website administrators
changelog	False	string, can be multiline, no HTML allowed
experimental	False	boolean flag, <i>True</i> or <i>False</i>
deprecated	False	boolean flag, <i>True</i> or <i>False</i> , applies to the whole plugin and not just to the uploaded version
tags	False	comma separated list, spaces are allowed inside individual tags
homepage	False	a valid URL pointing to the homepage of your plugin
repository	True	a valid URL for the source code repository
tracker	False	a valid URL for tickets and bug reports
icon	False	a file name or a relative path (relative to the base folder of the plugin's compressed package) of a web friendly image (PNG, JPEG)
category	False	one of <i>Raster</i> , <i>Vector</i> , <i>Database</i> and <i>Web</i>

By default, plugins are placed in the *Plugins* menu (we will see in the next section how to add a menu entry for your plugin) but they can also be placed into *Raster*, *Vector*, *Database* and *Web* menus.

A corresponding “category” metadata entry exists to specify that, so the plugin can be classified accordingly. This metadata entry is used as tip for users and tells them where (in which menu) the plugin can be found. Allowed values for “category” are: Vector, Raster, Database or Web. For example, if your plugin will be available from *Raster* menu, add this to `metadata.txt`

```
category=Raster
```

Примечание: If `qgisMaximumVersion` is empty, it will be automatically set to the major version plus .99 when uploaded to the [Official python plugin repository](#).

An example for this `metadata.txt`

```
; the next section is mandatory
```

```
[general]
name=HelloWorld
email=me@example.com
author=Just Me
qgisMinimumVersion=2.0
```

```
description=This is an example plugin for greeting the world.  
    Multiline is allowed:  
        lines starting with spaces belong to the same  
        field, in this case to the "description" field.  
        HTML formatting is not allowed.  
about=This paragraph can contain a detailed description  
    of the plugin. Multiline is allowed, HTML is not.  
version=version 1.2  
tracker=http://bugs.itopen.it  
repository=http://www.itopen.it/repo  
; end of mandatory metadata  
  
; start of optional metadata  
category=Raster  
changelog=The changelog lists the plugin versions  
    and their changes as in the example below:  
        1.0 - First stable release  
        0.9 - All features implemented  
        0.8 - First testing release  
  
; Tags are in comma separated value format, spaces are allowed within the  
; tag name.  
; Tags should be in English language. Please also check for existing tags and  
; synonyms before creating a new one.  
tags=wkt,raster,hello world  
  
; these metadata can be empty, they will eventually become mandatory.  
homepage=http://www.itopen.it  
icon=icon.png  
  
; experimental flag (applies to the single version)  
experimental=True  
  
; deprecated flag (applies to the whole plugin and not only to the uploaded version)  
deprecated=False  
  
; if empty, it will be automatically set to major version + .99  
qgisMaximumVersion=2.0
```

13.2.2 `__init__.py`

This file is required by Python's import system. Also, QGIS requires that this file contains a `classFactory()` function, which is called when the plugin gets loaded to QGIS. It receives reference to instance of `QgisInterface` and must return instance of your plugin's class from the `mainplugin.py` — in our case it's called `TestPlugin` (see below). This is how `__init__.py` should look like

```
def classFactory(iface):  
    from mainPlugin import TestPlugin  
    return TestPlugin(iface)  
  
## any other initialisation needed
```

13.2.3 `mainPlugin.py`

This is where the magic happens and this is how magic looks like: (e.g. `mainPlugin.py`)

```
from PyQt4.QtCore import *  
from PyQt4.QtGui import *  
from qgis.core import *
```

```

# initialize Qt resources from file resources.py
import resources

class TestPlugin:

    def __init__(self, iface):
        # save reference to the QGIS interface
        self.iface = iface

    def initGui(self):
        # create action that will start plugin configuration
        self.action = QAction(QIcon(":/plugins/testplug/icon.png"), "Test plugin", self.iface mainWindow())
        self.action.setObjectName("testAction")
        self.action.setWhatsThis("Configuration for test plugin")
        self.action.setStatusTip("This is status tip")
        QObject.connect(self.action, SIGNAL("triggered()"), self.run)

        # add toolbar button and menu item
        self.iface.addToolBarIcon(self.action)
        self.iface.addPluginToMenu("&Test plugins", self.action)

        # connect to signal renderComplete which is emitted when canvas
        # rendering is done
        QObject.connect(self.iface.mapCanvas(), SIGNAL("renderComplete(QPainter *)"), self.renderTest)

    def unload(self):
        # remove the plugin menu item and icon
        self.iface.removePluginMenu("&Test plugins", self.action)
        self.iface.removeToolBarIcon(self.action)

        # disconnect form signal of the canvas
        QObject.disconnect(self.iface.mapCanvas(), SIGNAL("renderComplete(QPainter *)"), self.renderTest)

    def run(self):
        # create and show a configuration dialog or something similar
        print "TestPlugin: run called!"

    def renderTest(self, painter):
        # use painter for drawing to map canvas
        print "TestPlugin: renderTest called!"

```

The only plugin functions that must exist in the main plugin source file (e.g. `mainPlugin.py`) are:

- `__init__` -> which gives access to QGIS interface
- `initGui()` -> called when the plugin is loaded
- `unload()` -> called when the plugin is unloaded

You can see that in the above example, the `addPluginToMenu()` is used. This will add the corresponding menu action to the *Plugins* menu. Alternative methods exist to add the action to a different menu. Here is a list of those methods:

- `addPluginToRasterMenu()`
- `addPluginToVectorMenu()`
- `addPluginToDatabaseMenu()`
- `addPluginToWebMenu()`

All of them have the same syntax as the `addPluginToMenu()` method.

Adding your plugin menu to one of those predefined method is recommended to keep consistency in how plugin entries are organized. However, you can add your custom menu group directly to the menu bar, as the next example demonstrates:

```
def initGui(self):
    self.menu = QMenu(self iface.mainWindow())
    self.menu.setObjectName("testMenu")
    self.menu.setTitle("MyMenu")

    self.action = QAction(QIcon(":/plugins/testplug/icon.png"), "Test plugin", self iface.mainWindow())
    self.action.setObjectName("testAction")
    self.action.setWhatsThis("Configuration for test plugin")
    self.action.setStatusTip("This is status tip")
    QObject.connect(self.action, SIGNAL("triggered()"), self.run)
    self.menu.addAction(self.action)

    menuBar = self iface.mainWindow().menuBar()
    menuBar.insertMenu(self iface.firstRightStandardMenu().menuAction(), self.menu)

def unload(self):
    self.menu.deleteLater()
```

Don't forget to set `QAction` and `QMenu` `objectName` to a name specific to your plugin so that it can be customized.

13.2.4 Файл ресурсов

You can see that in `initGui()` we've used an icon from the resource file (called `resources.qrc` in our case)

```
<RCC>
  <qresource prefix="/plugins/testplug" >
    <file>icon.png</file>
  </qresource>
</RCC>
```

It is good to use a prefix that will not collide with other plugins or any parts of QGIS, otherwise you might get resources you did not want. Now you just need to generate a Python file that will contain the resources. It's done with `pyrcc4` command:

```
pyrcc4 -o resources.py resources.qrc
```

Примечание: In Windows environments, attempting to run the `pyrcc4` from Command Prompt or Powershell will probably result in the error "Windows cannot access the specified device, path, or file [...]" . The easiest solution is probably to use the OSGeo4W Shell but if you are comfortable modifying the PATH environment variable or specifying the path to the executable explicitly you should be able to find it at <Your QGIS Install Directory>\bin\pyrcc4.exe.

And that's all... nothing complicated :)

If you've done everything correctly you should be able to find and load your plugin in the plugin manager and see a message in console when toolbar icon or appropriate menu item is selected.

При работе над реальным расширением удобно вести разработку в другом (рабочем) каталоге и создать makefile, который будет генерировать файлы интерфейса и ресурсов, а также выполнять копирование расширения в каталог QGIS.

13.3 Документация

The documentation for the plugin can be written as HTML help files. The `qgis.utils` module provides a function, `showPluginHelp()` which will open the help file browser, in the same way as other QGIS help.

The `showPluginHelp()` function looks for help files in the same directory as the calling module. It will look for, in turn, `index-ll_cc.html`, `index-ll.html`, `index-en.html`, `index-en_us.html` and `index.html`, displaying whichever it finds first. Here `ll_cc` is the QGIS locale. This allows multiple translations of the documentation to be included with the plugin.

Кроме того, функция `showPluginHelp()` может принимать параметр `packageName`, идентифицирующий расширение, справку которого нужно отобразить; `filename`, который используется для переопределения имени файла с документацией; и `section`, для передачи имени якоря (закладки) в документе, на который браузер должен перейти.

13.4 Translation

With a few steps you can set up the environment for the plugin localization so that depending on the locale settings of your computer the plugin will be loaded in different languages.

13.4.1 Software requirements

The easiest way to create and manage all the translation files is to install `Qt Linguist`. In a Linux like environment you can install it typing:

```
sudo apt-get install qt4-dev-tools
```

13.4.2 Files and directory

When you create the plugin you will find the `i18n` folder within the main plugin directory.

All the translation files have to be within this directory.

.pro file

First you should create a `.pro` file, that is a *project* file that can be managed by `Qt Linguist`.

In this `.pro` file you have to specify all the files and forms you want to translate. This file is used to set up the localization files and variables. An example of the pro file is:

```
FORMS = ../ui/*
SOURCES = ../your_plugin.py
TRANSLATIONS = your_plugin_it.ts
```

In this particular case all your UIs are placed in the `../ui` folder and you want to translate all of them. Furthermore, the `your_plugin.py` file is the file that *calls* all the menu and sub-menus of your plugin in the QGIS toolbar and you want to translate them all.

Finally with the `TRANSLATIONS` variable you can specify the translation languages you want.

Предупреждение: Be sure to name the `ts` file like `your_plugin_ + language + .ts` otherwise the language loading will fail! Use 2 letters shortcut for the language (`it` for Italian, `de` for German, etc...)

.ts file

Once you have created the .pro you are ready to generate the .ts file(s) of the language(s) of your plugin.

Open a terminal, go to your_plugin/i18n directory and type:

```
lupdate your_plugin.pro
```

you should see the your_plugin_language.ts file(s).

Open the .ts file with **Qt Linguist** and start to translate.

.qm file

When you finish to translate your plugin (if some strings are not completed the source language for those strings will be used) you have to create the .qm file (the compiled .ts file that will be used by QGIS).

Just open a terminal cd in your_plugin/i18n directory and type:

```
lrelease your_plugin.ts
```

now, in the i18n directory you will see the your_plugin.qm file(s).

13.4.3 Load the plugin

In order to see the translation of your plugin just open QGIS, change the language (*Settings → Options → Language*) and restart QGIS.

You should see your plugin in the correct language.

Предупреждение: If you change something in your plugin (new UIs, new menu, etc..) you have to **generate again** the update version of both .ts and .qm file, so run again the command of above.

IDE settings for writing and debugging plugins

- A note on configuring your IDE on Windows
- Debugging using Eclipse and PyDev
 - Installation
 - Preparing QGIS
 - Setting up Eclipse
 - Configuring the debugger
 - Making eclipse understand the API
- Debugging using PDB

Although each programmer has his preferred IDE/Text editor, here are some recommendations for setting up popular IDE's for writing and debugging QGIS Python plugins.

14.1 A note on configuring your IDE on Windows

On Linux there is no additional configuration needed to develop plugins. But on Windows you need to make sure you that you have the same environment settings and use the same libraries and interpreter as QGIS. The fastest way to do this, is to modify the startup batch file of QGIS.

If you used the OSGeo4W Installer, you can find this under the `bin` folder of your OSGeo4W install. Look for something like `C:\OSGeo4W\bin\qgis-unstable.bat`.

For using [Pyscripter IDE](#), here's what you have to do:

- Make a copy of `qgis-unstable.bat` and rename it `pyscripter.bat`.
- Open it in an editor. And remove the last line, the one that starts QGIS.
- Add a line that points to your Pyscripter executable and add the commandline argument that sets the version of Python to be used (2.7 in the case of QGIS >= 2.0)
- Also add the argument that points to the folder where Pyscripter can find the Python dll used by QGIS, you can find this under the `bin` folder of your OSGeoW install

```
@echo off
SET OSGEO4W_ROOT=C:\OSGeo4W
call "%OSGEO4W_ROOT%\bin\o4w_env.bat"
call "%OSGEO4W_ROOT%\bin\gdal16.bat"
@echo off
path %PATH%;%GISBASE%\bin
Start C:\pyscripter\pyscripter.exe --python25 --pythondllpath=C:\OSGeo4W\bin
```

Now when you double click this batch file it will start Pyscripter, with the correct path.

More popular than Pyscripter, Eclipse is a common choice among developers. In the following sections, we will be explaining how to configure it for developing and testing plugins. To prepare your environment for using Eclipse in Windows, you should also create a batch file and use it to start Eclipse.

To create that batch file, follow these steps:

- Locate the folder where `qgis_core.dll` resides in. Normally this is `C:\OSGeo4W\apps\qgis\bin`, but if you compiled your own QGIS application this is in your build folder in `output/bin/RelWithDebInfo`
- Locate your `eclipse.exe` executable.
- Create the following script and use this to start eclipse when developing QGIS plugins.

```
call "C:\OSGeo4W\bin\o4w_env.bat"
set PATH=%PATH%;C:\path\to\your\qgis_core.dll\parent\folder
C:\path\to\your\eclipse.exe
```

14.2 Debugging using Eclipse and PyDev

14.2.1 Installation

To use Eclipse, make sure you have installed the following

- Eclipse
- Aptana Eclipse Plugin or PyDev
- QGIS 2.x

14.2.2 Preparing QGIS

There is some preparation to be done on QGIS itself. Two plugins are of interest: **Remote Debug** and **Plugin reloader**.

- Go to *Plugins → Manage and Install plugins...*
- Search for *Remote Debug* (at the moment it's still experimental, so enable experimental plugins under the *Options* tab in case it does not show up). Install it.
- Search for *Plugin reloader* and install it as well. This will let you reload a plugin instead of having to close and restart QGIS to have the plugin reloaded.

14.2.3 Setting up Eclipse

In Eclipse, create a new project. You can select *General Project* and link your real sources later on, so it does not really matter where you place this project.

Now right-click your new project and choose *New → Folder*.

Click **[Advanced]** and choose *Link to alternate location (Linked Folder)*. In case you already have sources you want to debug, choose these. In case you don't, create a folder as it was already explained.

Now in the view *Project Explorer*, your source tree pops up and you can start working with the code. You already have syntax highlighting and all the other powerful IDE tools available.




Рис. 14.1: Eclipse project


14.2.4 Configuring the debugger

To get the debugger working, switch to the Debug perspective in Eclipse (*Window → Open Perspective → Other → Debug*).

Now start the PyDev debug server by choosing *PyDev → Start Debug Server*.

Eclipse is now waiting for a connection from QGIS to its debug server and when QGIS connects to the debug server it will allow it to control the python scripts. That's exactly what we installed the *Remote Debug* plugin for. So start QGIS in case you did not already and click the bug symbol.

Now you can set a breakpoint and as soon as the code hits it, execution will stop and you can inspect the current state of your plugin. (The breakpoint is the green dot in the image below, set one by double clicking in the white space left to the line you want the breakpoint to be set).



```

88
89  def printProfile(self):
90      printer = QPrinter( QPrinter.HighResolution )
91      printer.setOutputFormat( QPrinter.PdfFormat )
92      printer.setPaperSize( QPrinter.A4 )
93      printer.setOrientation( QPrinter.Landscape )
94
95      printPreviewDlg = QPrintPreviewDialog( )
96      printPreviewDlg.paintRequested.connect( self.printRequested )
97
98      printPreviewDlg.exec_()
99
100 @pyqtSlot( QPrinter )
101 def printRequested( self, printer ):
102     self.webView.print_( printer )
103

```

Рис. 14.2: Breakpoint

A very interesting thing you can make use of now is the debug console. Make sure that the execution is currently stopped at a break point, before you proceed.

Open the Console view (*Window → Show view*). It will show the *Debug Server* console which is not very interesting. But there is a button **[Open Console]** which lets you change to a more interesting PyDev Debug Console. Click the arrow next to the **[Open Console]** button and choose *PyDev Console*. A window opens up to ask you which console you want to start. Choose *PyDev Debug Console*. In case its greyed out and tells you to Start the debugger and select the valid frame, make sure that you've got the remote debugger attached and are currently on a breakpoint.




Рис. 14.3: PyDev Debug Console

You have now an interactive console which let's you test any commands from within the current context. You can manipulate variables or make API calls or whatever you like.

A little bit annoying is, that every time you enter a command, the console switches back to the Debug Server. To stop this behavior, you can click the *Pin Console* button when on the Debug Server page and it should remember this decision at least for the current debug session.

14.2.5 Making eclipse understand the API

A very handy feature is to have Eclipse actually know about the QGIS API. This enables it to check your code for typos. But not only this, it also enables Eclipse to help you with autocompletion from the imports to API calls.

To do this, Eclipse parses the QGIS library files and gets all the information out there. The only thing you have to do is to tell Eclipse where to find the libraries.

Click *Window → Preferences → PyDev → Interpreter → Python*.

You will see your configured python interpreter in the upper part of the window (at the moment python2.7 for QGIS) and some tabs in the lower part. The interesting tabs for us are *Libraries* and *Forced Builtins*.




Рис. 14.4: PyDev Debug Console

First open the *Libraries* tab. Add a New Folder and choose the python folder of your QGIS installation. If you do not know where this folder is (it's not the plugins folder) open QGIS, start a python console and simply enter `qgis` and press Enter. It will show you which QGIS module it uses and its path. Strip the trailing `/qgis/_init_.pyc` from this path and you've got the path you are looking for.

You should also add your plugins folder here (on Linux it is `~/.qgis2/python/plugins`).

Next jump to the *Forced Builtins* tab, click on *New...* and enter `qgis`. This will make Eclipse parse the QGIS API. You probably also want Eclipse to know about the PyQt4 API. Therefore also add `PyQt4` as forced builtin. That should probably already be present in your libraries tab.

Click *OK* and you're done.

Примечание: Every time the QGIS API changes (e.g. if you're compiling QGIS master and the SIP

file changed), you should go back to this page and simply click *Apply*. This will let Eclipse parse all the libraries again.

For another possible setting of Eclipse to work with QGIS Python plugins, check [this link](#)

14.3 Debugging using PDB

If you do not use an IDE such as Eclipse, you can debug using PDB, following these steps.

First add this code in the spot where you would like to debug

```
# Use pdb for debugging
import pdb
# These lines allow you to set a breakpoint in the app
pyqtRemoveInputHook()
pdb.set_trace()
```

Then run QGIS from the command line.

On Linux do:

```
$ ./Qgis
```

On Mac OS X do:

```
$ /Applications/Qgis.app/Contents/MacOS/Qgis
```

And when the application hits your breakpoint you can type in the console!

TODO: Add testing information

Использование слоёв расширений

Если расширение использует собственные методы для отрисовки слоёв карты, наиболее простой способ реализации — создание нового типа слоя на основе QgsPluginLayer.

TODO: Check correctness and elaborate on good use cases for QgsPluginLayer, ...

15.1 Наследование QgsPluginLayer

Below is an example of a minimal QgsPluginLayer implementation. It is an excerpt of the [Watermark](#) example plugin

```
class WatermarkPluginLayer(QgsPluginLayer):

    LAYER_TYPE="watermark"

    def __init__(self):
        QgsPluginLayer.__init__(self, WatermarkPluginLayer.LAYER_TYPE, "Watermark plugin layer")
        self.setValid(True)

    def draw(self, rendererContext):
        image = QImage("myimage.png")
        painter = rendererContext.painter()
        painter.save()
        painter.drawImage(10, 10, image)
        painter.restore()
        return True
```

Methods for reading and writing specific information to the project file can also be added

```
def readXml(self, node):
    pass

def writeXml(self, node, doc):
    pass
```

When loading a project containing such a layer, a factory class is needed

```
class WatermarkPluginLayerType(QgsPluginLayerType):

    def __init__(self):
        QgsPluginLayerType.__init__(self, WatermarkPluginLayer.LAYER_TYPE)

    def createLayer(self):
        return WatermarkPluginLayer()
```

You can also add code for displaying custom information in the layer properties

```
def showLayerProperties(self, layer):
    pass
```

Совместимость с ранними версиями QGIS

16.1 Plugin menu

If you place your plugin menu entries into one of the new menus (*Raster*, *Vector*, *Database* or *Web*), you should modify the code of the `initGui()` and `unload()` functions. Since these new menus are available only in QGIS 2.0 and greater, the first step is to check that the running QGIS version has all the necessary functions. If the new menus are available, we will place our plugin under this menu, otherwise we will use the old *Plugins* menu. Here is an example for *Raster* menu

```
def initGui(self):
    # create action that will start plugin configuration
    self.action = QAction(QIcon(":/plugins/testplug/icon.png"), "Test plugin", self iface.mainWindow())
    self.action.setWhatsThis("Configuration for test plugin")
    self.action.setStatusTip("This is status tip")
    QObject.connect(self.action, SIGNAL("triggered()"), self.run)

    # check if Raster menu available
    if hasattr(self iface, "addPluginToRasterMenu"):
        # Raster menu and toolbar available
        self iface.addRasterToolBarIcon(self.action)
        self iface.addPluginToRasterMenu("&Test plugins", self.action)
    else:
        # there is no Raster menu, place plugin under Plugins menu as usual
        self iface.addToolBarIcon(self.action)
        self iface.addPluginToMenu("&Test plugins", self.action)

    # connect to signal renderComplete which is emitted when canvas rendering is done
    QObject.connect(self iface.mapCanvas(), SIGNAL("renderComplete(QPainter *)"), self.renderTest)

def unload(self):
    # check if Raster menu available and remove our buttons from appropriate
    # menu and toolbar
    if hasattr(self iface, "addPluginToRasterMenu"):
        self iface.removePluginRasterMenu("&Test plugins", self.action)
        self iface.removeRasterToolBarIcon(self.action)
    else:
        self iface.removePluginMenu("&Test plugins", self.action)
        self iface.removeToolBarIcon(self.action)

    # disconnect from signal of the canvas
    QObject.disconnect(self iface.mapCanvas(), SIGNAL("renderComplete(QPainter *)"), self.renderTest)
```


Releasing your plugin

- Metadata and names
- Code and help
- Official python plugin repository
 - Permissions
 - Trust management
 - Validation
 - Plugin structure

Once your plugin is ready and you think the plugin could be helpful for some people, do not hesitate to upload it to [Official python plugin repository](#). On that page you can find also packaging guidelines about how to prepare the plugin to work well with the plugin installer. Or in case you would like to set up your own plugin repository, create a simple XML file that will list the plugins and their metadata, for examples see other [plugin repositories](#).

Please take special care to the following suggestions:

17.1 Metadata and names

- avoid using a name too similar to existing plugins
- if your plugin has a similar functionality to an existing plugin, please explain the differences in the About field, so the user will know which one to use without the need to install and test it
- avoid repeating “plugin” in the name of the plugin itself
- use the description field in metadata for a 1 line description, the About field for more detailed instructions
- include a code repository, a bug tracker, and a home page; this will greatly enhance the possibility of collaboration, and can be done very easily with one of the available web infrastructures (GitHub, GitLab, Bitbucket, etc.)
- choose tags with care: avoid the uninformative ones (e.g. vector) and prefer the ones already used by others (see the plugin website)
- add a proper icon, do not leave the default one; see QGIS interface for a suggestion of the style to be used

17.2 Code and help

- do not include generated file (ui_*.py, resources_rc.py, generated help files...) and useless stuff (e.g. .gitignore) in repository

- add the plugin to the appropriate menu (Vector, Raster, Web, Database)
- when appropriate (plugins performing analyses), consider adding the plugin as a subplugin of Processing framework: this will allow users to run it in batch, to integrate it in more complex workflows, and will free you from the burden of designing an interface
- include at least minimal documentation and, if useful for testing and understanding, sample data.

17.3 Official python plugin repository

You can find the *official* python plugin repository at <http://plugins.qgis.org/>.

In order to use the official repository you must obtain an OSGEO ID from the [OSGEO](#) web portal.

Once you have uploaded your plugin it will be approved by a staff member and you will be notified.

TODO: Insert a link to the governance document

17.3.1 Permissions

These rules have been implemented in the official plugin repository:

- every registered user can add a new plugin
- *staff* users can approve or disapprove all plugin versions
- users which have the special permission `plugins.can_approve` get the versions they upload automatically approved
- users which have the special permission `plugins.can_approve` can approve versions uploaded by others as long as they are in the list of the plugin *owners*
- a particular plugin can be deleted and edited only by *staff* users and plugin *owners*
- if a user without `plugins.can_approve` permission uploads a new version, the plugin version is automatically unapproved.

17.3.2 Trust management

Staff members can grant *trust* to selected plugin creators setting `plugins.can_approve` permission through the front-end application.

The plugin details view offers direct links to grant trust to the plugin creator or the plugin *owners*.

17.3.3 Validation

Plugin's metadata are automatically imported and validated from the compressed package when the plugin is uploaded.

Here are some validation rules that you should aware of when you want to upload a plugin on the official repository:

1. the name of the main folder containing your plugin must contain only ASCII characters (A-Z and a-z), digits and the characters underscore (`_`) and minus (`-`), also it cannot start with a digit
2. `metadata.txt` is required
3. all required metadata listed in `metadata table` must be present
4. the `version` metadata field must be unique

17.3.4 Plugin structure

Following the validation rules the compressed (.zip) package of your plugin must have a specific structure to validate as a functional plugin. As the plugin will be unzipped inside the users plugins folder it must have its own directory inside the .zip file to not interfere with other plugins. Mandatory files are: `metadata.txt` and `__init__.py`. But it would be nice to have a `README` and of course an icon to represent the plugin (`resources.qrc`). Following is an example of how a `plugin.zip` should look like.

```
plugin.zip
  pluginfolder/
    |-- i18n
    |   |-- translation_file_de.ts
    |-- img
    |   |-- icon.png
    |   '-- iconsource.svg
    |-- __init__.py
    |-- Makefile
    |-- metadata.txt
    |-- more_code.py
    |-- main_code.py
    |-- README
    |-- resources.qrc
    |-- resources_rc.py
    '-- ui_Qt_user_interface_file.ui
```

Code Snippets

- How to call a method by a key shortcut
- How to toggle Layers
- How to access attribute table of selected features

This section features code snippets to facilitate plugin development.

18.1 How to call a method by a key shortcut

In the plug-in add to the `initGui()`

```
self.keyAction = QAction("Test Plugin", self iface mainWindow())
self iface registerMainWindowAction(self.keyAction, "F7") # action1 triggered by F7 key
self iface addPluginToMenu("&Test plugins", self.keyAction)
QObject.connect(self.keyAction, SIGNAL("triggered()"), self.keyActionF7)
```

To `unload()` add

```
self iface unregisterMainWindowAction(self.keyAction)
```

The method that is called when F7 is pressed

```
def keyActionF7(self):
    QMessageBox.information(self iface mainWindow(), "Ok", "You pressed F7")
```

18.2 How to toggle Layers

Since QGIS 2.4 there is new layer tree API that allows direct access to the layer tree in the legend. Here is an example how to toggle visibility of the active layer

```
root = QgsProject.instance().layerTreeRoot()
node = root.findLayer(iface.activeLayer().id())
new_state = Qt.Checked if node.isVisible() == Qt.Unchecked else Qt.Unchecked
node.setVisible(new_state)
```

18.3 How to access attribute table of selected features

```
def changeValue(self, value):
    layer = self.iface.activeLayer()
    if(layer):
        nF = layer.selectedFeatureCount()
        if (nF > 0):
            layer.startEditing()
            ob = layer.selectedFeaturesIds()
            b = QVariant(value)
            if (nF > 1):
                for i in ob:
                    layer.changeAttributeValue(int(i), 1, b) # 1 being the second column
            else:
                layer.changeAttributeValue(int(ob[0]), 1, b) # 1 being the second column
            layer.commitChanges()
        else:
            QMessageBox.critical(self.iface mainWindow(), "Error", "Please select at least one feature from current layer")
        else:
            QMessageBox.critical(self.iface mainWindow(), "Error", "Please select a layer")
```

The method requires one parameter (the new value for the attribute field of the selected feature(s)) and can be called by

```
self.changeValue(50)
```

Writing a Processing plugin

- Creating a plugin that adds an algorithm provider
- Creating a plugin that contains a set of processing scripts

Depending on the kind of plugin that you are going to develop, it might be better option to add its functionality as a Processing algorithm (or a set of them). That would provide a better integration within QGIS, additional functionality (since it can be run in the components of Processing, such as the modeler or the batch processing interface), and a quicker development time (since Processing will take of a large part of the work).

This document describes how to create a new plugin that adds its functionality as Processing algorithms. There are two main mechanisms for doing that:

- Creating a plugin that adds an algorithm provider: This options is more complex, but provides more flexibility
- Creating a plugin that contains a set of processing scripts: The simplest solution, you just need a set of Processing script files.

19.1 Creating a plugin that adds an algorithm provider

To create an algorithm provider, follow these steps:

- Install the Plugin Builder plugin
- Create a new plugin using the Plugin Builder. When the Plugin Builder asks you for the template to use, select “Processing provider”.
- The created plugin contains a provider with a single algorithm. Both the provider file and the algorithm file are fully commented and contain information about how to modify the provider and add additional algorithms. Refer to them for more information.

19.2 Creating a plugin that contains a set of processing scripts

To create a set of processing scripts, follow these steps:

- Create your scripts as described in the PyQGIS cookbook. All the scripts that you want to add, you should have them available in the Processing toolbox.
- In the *Scripts/Tools* group in the Processing toolbox, double-click on the *Create script collection plugin* item. You will see a window where you should select the scripts to add to the plugin (from the set of available ones in the toolbox), and some additional information needed for the plugin metadata.

- Click on OK and the plugin will be created.
- You can add additional scripts to the plugin by adding scripts python files to the *scripts* folder in the resulting plugin folder.

Библиотека сетевого анализа

- Применение
- Building a graph
- Анализ графа
 - Finding shortest paths
 - Areas of availability

Starting from revision [ee19294562](#) (QGIS >= 1.8) the new network analysis library was added to the QGIS core analysis library. The library:

- может создавать математический график из географических данных (линейных векторных слоёв)
- implements basic methods from graph theory (currently only Dijkstra's algorithm)

The network analysis library was created by exporting basic functions from the RoadGraph core plugin and now you can use its methods in plugins or directly from the Python console.

20.1 Применение

Briefly, a typical use case can be described as:

1. получить график из географических данных
2. выполнить анализ графа
3. использовать результаты анализа (например, визуализировать их)

20.2 Building a graph

The first thing you need to do — is to prepare input data, that is to convert a vector layer into a graph. All further actions will use this graph, not the layer.

As a source we can use any polyline vector layer. Nodes of the polylines become graph vertexes, and segments of the polylines are graph edges. If several nodes have the same coordinates then they are the same graph vertex. So two lines that have a common node become connected to each other.

Additionally, during graph creation it is possible to “fix” (“tie”) to the input vector layer any number of additional points. For each additional point a match will be found — the closest graph vertex or closest graph edge. In the latter case the edge will be split and a new vertex added.

Vector layer attributes and length of an edge can be used as the properties of an edge.

Converting from a vector layer to the graph is done using the `Builder` programming pattern. A graph is constructed using a so-called Director. There is only one Director for now: `QgsLineVectorLayerDirector`.

The director sets the basic settings that will be used to construct a graph from a line vector layer, used by the builder to create the graph. Currently, as in the case with the director, only one builder exists: `QgsGraphBuilder`, that creates `QgsGraph` objects. You may want to implement your own builders that will build a graphs compatible with such libraries as `BGL` or `NetworkX`.

To calculate edge properties the programming pattern `strategy` is used. For now only `QgsDistanceArcProperter` strategy is available, that takes into account the length of the route. You can implement your own strategy that will use all necessary parameters. For example, `RoadGraph` plugin uses a strategy that computes travel time using edge length and speed value from attributes.

It's time to dive into the process.

First of all, to use this library we should import the networkanalysis module

```
from qgis.networkanalysis import *
```

Then some examples for creating a director

```
# don't use information about road direction from layer attributes,
# all roads are treated as two-way
director = QgsLineVectorLayerDirector(vLayer, -1, '', '', '', 3)

# use field with index 5 as source of information about road direction.
# one-way roads with direct direction have attribute value "yes",
# one-way roads with reverse direction have the value "1", and accordingly
# bidirectional roads have "no". By default roads are treated as two-way.
# This scheme can be used with OpenStreetMap data
director = QgsLineVectorLayerDirector(vLayer, 5, 'yes', '1', 'no', 3)
```

To construct a director we should pass a vector layer, that will be used as the source for the graph structure and information about allowed movement on each road segment (one-way or bidirectional movement, direct or reverse direction). The call looks like this

```
director = QgsLineVectorLayerDirector(vl, directionFieldId,
                                      directDirectionValue,
                                      reverseDirectionValue,
                                      bothDirectionValue,
                                      defaultDirection)
```

And here is full list of what these parameters mean:

- `vl` — vector layer used to build the graph
- `directionFieldId` — index of the attribute table field, where information about roads direction is stored. If `-1`, then don't use this info at all. An integer.
- `directDirectionValue` — field value for roads with direct direction (moving from first line point to last one). A string.
- `reverseDirectionValue` — field value for roads with reverse direction (moving from last line point to first one). A string.
- `bothDirectionValue` — field value for bidirectional roads (for such roads we can move from first point to last and from last to first). A string.
- `defaultDirection` — default road direction. This value will be used for those roads where field `directionFieldId` is not set or has some value different from any of the three values specified above. An integer. `1` indicates direct direction, `2` indicates reverse direction, and `3` indicates both directions.

It is necessary then to create a strategy for calculating edge properties

```
properter = QgsDistanceArcProperter()
```

And tell the director about this strategy

```
director.addProperter(properter)
```

Now we can use the builder, which will create the graph. The `QgsGraphBuilder` class constructor takes several arguments:

- `crs` — используемая система координат. Обязательный параметр.
- `otfEnabled` — указывает на использование перепроектирования «на лету». По умолчанию `True`
- `topologyTolerance` — топологическая толерантность. Значение по умолчанию 0
- `ellipsoidID` — используемый эллипсоид. По умолчанию “WGS84”

```
# only CRS is set, all other values are defaults
builder = QgsGraphBuilder(myCRS)
```

Also we can define several points, which will be used in the analysis. For example

```
startPoint = QgsPoint(82.7112, 55.1672)
endPoint = QgsPoint(83.1879, 54.7079)
```

Now all is in place so we can build the graph and “tie” these points to it

```
tiedPoints = director.makeGraph(builder, [startPoint, endPoint])
```

Building the graph can take some time (which depends on the number of features in a layer and layer size). `tiedPoints` is a list with coordinates of “tied” points. When the build operation is finished we can get the graph and use it for the analysis

```
graph = builder.graph()
```

With the next code we can get the vertex indexes of our points

```
startId = graph.findVertex(tiedPoints[0])
endId = graph.findVertex(tiedPoints[1])
```

20.3 Анализ графа

Networks analysis is used to find answers to two questions: which vertexes are connected and how to find a shortest path. To solve these problems the network analysis library provides Dijkstra’s algorithm.

Dijkstra’s algorithm finds the shortest route from one of the vertexes of the graph to all the others and the values of the optimization parameters. The results can be represented as a shortest path tree.

The shortest path tree is a directed weighted graph (or more precisely — tree) with the following properties:

- only one vertex has no incoming edges — the root of the tree
- all other vertexes have only one incoming edge
- if vertex B is reachable from vertex A, then the path from A to B is the single available path and it is optimal (shortest) on this graph

To get the shortest path tree use the methods `shortestTree()` and `dijkstra()` of `QgsGraphAnalyzer` class. It is recommended to use method `dijkstra()` because it works faster and uses memory more efficiently.

The `shortestTree()` method is useful when you want to walk around the shortest path tree. It always creates a new graph object (`QgsGraph`) and accepts three variables:

- `source` — исходный граф
- `startVertexIdx` — индекс точки на графике (корень дерева)
- `criterionNum` — порядковый номер свойства ребра (отсчет ведется от 0)

```
tree = QgsGraphAnalyzer.shortestTree(graph, startId, 0)
```

Метод `dijkstra()` имеет аналогичные параметры, но возвращает не граф, а кортеж из двух массивов. В первом массиве *i*-ый элемент содержит индекс дуги, входящей в *i*-ю вершину, в противном случае — -1. Во втором массиве *i*-ый элемент содержит расстояние от корня дерева до *i*-ой вершины, если вершина достижима из корня или максимально большое число которое может хранить тип C++ double, если вершина не достижима.

```
(tree, cost) = QgsGraphAnalyzer.dijkstra(graph, startId, 0)
```

Here is some very simple code to display the shortest path tree using the graph created with the `shortestTree()` method (select linestring layer in TOC and replace coordinates with your own). **Warning:** use this code only as an example, it creates a lots of `QgsRubberBand` objects and may be slow on large data-sets.

```
from PyQt4.QtCore import *
from PyQt4.QtGui import *

from qgis.core import *
from qgis.gui import *
from qgis.networkanalysis import *

vl = qgis.utils.iface.mapCanvas().currentLayer()
director = QgsLineVectorLayerDirector(vl, -1, '', '', '', 3)
properter = QgsDistanceArcProperter()
director.addProperter(properter)
crs = qgis.utils.iface.mapCanvas().mapRenderer().destinationCrs()
builder = QgsGraphBuilder(crs)

pStart = QgsPoint(-0.743804, 0.22954)
tiedPoint = director.makeGraph(builder, [pStart])
pStart = tiedPoint[0]

graph = builder.graph()

idStart = graph.findVertex(pStart)

tree = QgsGraphAnalyzer.shortestTree(graph, idStart, 0)

i = 0;
while (i < tree.arcCount()):
    rb = QgsRubberBand(qgis.utils.iface.mapCanvas())
    rb.setColor (Qt.red)
    rb.addPoint (tree.vertex(tree.arc(i).inVertex()).point())
    rb.addPoint (tree.vertex(tree.arc(i).outVertex()).point())
    i = i + 1
```

Same thing but using `dijkstra()` method

```
from PyQt4.QtCore import *
from PyQt4.QtGui import *

from qgis.core import *
from qgis.gui import *
from qgis.networkanalysis import *

vl = qgis.utils.iface.mapCanvas().currentLayer()
director = QgsLineVectorLayerDirector(vl, -1, '', '', '', 3)
properter = QgsDistanceArcProperter()
director.addProperter(properter)
crs = qgis.utils.iface.mapCanvas().mapRenderer().destinationCrs()
builder = QgsGraphBuilder(crs)
```

```

pStart = QgsPoint(-1.37144, 0.543836)
tiedPoint = director.makeGraph(builder, [pStart])
pStart = tiedPoint[0]

graph = builder.graph()

idStart = graph.findVertex(pStart)

(tree, costs) = QgsGraphAnalyzer.dijkstra(graph, idStart, 0)

for edgeId in tree:
    if edgeId == -1:
        continue
    rb = QgsRubberBand(qgis.utils.iface.mapCanvas())
    rb.setColor(Qt.red)
    rb.addPoint(graph.vertex(graph.arc(edgeId).inVertex()).point())
    rb.addPoint(graph.vertex(graph.arc(edgeId).outVertex()).point())

```

20.3.1 Finding shortest paths

To find the optimal path between two points the following approach is used. Both points (start A and end B) are “tied” to the graph when it is built. Then using the methods `shortestTree()` or `dijkstra()` we build the shortest path tree with root in the start point A. In the same tree we also find the end point B and start to walk through the tree from point B to point A. The whole algorithm can be written as

```

assign T = B
while T != A
    add point T to path
    get incoming edge for point T
    look for point TT, that is start point of this edge
    assign T = TT
add point A to path

```

At this point we have the path, in the form of the inverted list of vertexes (vertexes are listed in reversed order from end point to start point) that will be visited during traveling by this path.

Here is the sample code for QGIS Python Console (you will need to select linestring layer in TOC and replace coordinates in the code with yours) that uses method `shortestTree()`

```

from PyQt4.QtCore import *
from PyQt4.QtGui import *

from qgis.core import *
from qgis.gui import *
from qgis.networkanalysis import *

vl = qgis.utils.iface.mapCanvas().currentLayer()
director = QgsLineVectorLayerDirector(vl, -1, '', '', '', 3)
properter = QgsDistanceArcProperter()
director.addProperter(properter)
crs = qgis.utils.iface.mapCanvas().mapRenderer().destinationCrs()
builder = QgsGraphBuilder(crs)

pStart = QgsPoint(-0.835953, 0.15679)
pStop = QgsPoint(-1.1027, 0.699986)

tiedPoints = director.makeGraph(builder, [pStart, pStop])
graph = builder.graph()

tStart = tiedPoints[0]
tStop = tiedPoints[1]

```

```
idStart = graph.findVertex(tStart)
tree = QgsGraphAnalyzer.shortestTree(graph, idStart, 0)

idStart = tree.findVertex(tStart)
idStop = tree.findVertex(tStop)

if idStop == -1:
    print "Path not found"
else:
    p = []
    while (idStart != idStop):
        l = tree.vertex(idStop).inArc()
        if len(l) == 0:
            break
        e = tree.arc(l[0])
        p.insert(0, tree.vertex(e.inVertex()).point())
        idStop = e.outVertex()

    p.insert(0, tStart)
    rb = QgsRubberBand(qgis.utils.iface.mapCanvas())
    rb.setColor(Qt.red)

    for pnt in p:
        rb.addPoint(pnt)
```

And here is the same sample but using `dijkstra()` method

```
from PyQt4.QtCore import *
from PyQt4.QtGui import *

from qgis.core import *
from qgis.gui import *
from qgis.networkanalysis import *

vl = qgis.utils.iface.mapCanvas().currentLayer()
director = QgsLineVectorLayerDirector(vl, -1, '', '', '', 3)
properter = QgsDistanceArcProperter()
director.addProperter(properter)
crs = qgis.utils.iface.mapCanvas().mapRenderer().destinationCrs()
builder = QgsGraphBuilder(crs)

pStart = QgsPoint(-0.835953, 0.15679)
pStop = QgsPoint(-1.1027, 0.699986)

tiedPoints = director.makeGraph(builder, [pStart, pStop])
graph = builder.graph()

tStart = tiedPoints[0]
tStop = tiedPoints[1]

idStart = graph.findVertex(tStart)
idStop = graph.findVertex(tStop)

(tree, cost) = QgsGraphAnalyzer.dijkstra(graph, idStart, 0)

if tree[idStop] == -1:
    print "Path not found"
else:
    p = []
    curPos = idStop
    while curPos != idStart:
        p.append(graph.vertex(graph.arc(tree[curPos]).inVertex()).point())
        curPos = graph.arc(tree[curPos]).outVertex();
```

```

p.append(tStart)

rb = QgsRubberBand(qgis.utils.iface.mapCanvas())
rb.setColor(Qt.red)

for pnt in p:
    rb.addPoint(pnt)

```

20.3.2 Areas of availability

The area of availability for vertex A is the subset of graph vertexes that are accessible from vertex A and the cost of the paths from A to these vertexes are not greater than some value.

More clearly this can be shown with the following example: “There is a fire station. Which parts of city can a fire truck reach in 5 minutes? 10 minutes? 15 minutes?”. Answers to these questions are fire station’s areas of availability.

To find the areas of availability we can use method `dijkstra()` of the `QgsGraphAnalyzer` class. It is enough to compare the elements of the cost array with a predefined value. If `cost[i]` is less than or equal to a predefined value, then vertex i is inside the area of availability, otherwise it is outside.

A more difficult problem is to get the borders of the area of availability. The bottom border is the set of vertexes that are still accessible, and the top border is the set of vertexes that are not accessible. In fact this is simple: it is the availability border based on the edges of the shortest path tree for which the source vertex of the edge is accessible and the target vertex of the edge is not.

Here is an example

```

from PyQt4.QtCore import *
from PyQt4.QtGui import *

from qgis.core import *
from qgis.gui import *
from qgis.networkanalysis import *

vl = qgis.utils.iface.mapCanvas().currentLayer()
director = QgsLineVectorLayerDirector(vl, -1, '', '', '', 3)
properter = QgsDistanceArcProperter()
director.addProperter(properter)
crs = qgis.utils.iface.mapCanvas().mapRenderer().destinationCrs()
builder = QgsGraphBuilder(crs)

pStart = QgsPoint(65.5462, 57.1509)
delta = qgis.utils.iface.mapCanvas().getCoordinateTransform().mapUnitsPerPixel() * 1

rb = QgsRubberBand(qgis.utils.iface.mapCanvas(), True)
rb.setColor(Qt.green)

rb.addPoint(QgsPoint(pStart.x() - delta, pStart.y() - delta))
rb.addPoint(QgsPoint(pStart.x() + delta, pStart.y() - delta))
rb.addPoint(QgsPoint(pStart.x() + delta, pStart.y() + delta))
rb.addPoint(QgsPoint(pStart.x() - delta, pStart.y() + delta))

tiedPoints = director.makeGraph(builder, [pStart])
graph = builder.graph()
tStart = tiedPoints[0]

idStart = graph.findVertex(tStart)

(tree, cost) = QgsGraphAnalyzer.dijkstra(graph, idStart, 0)

upperBound = []
r = 2000.0

```

```
i = 0
while i < len(cost):
    if cost[i] > r and tree[i] != -1:
        outVertexId = graph.arc(tree[i]).outVertex()
        if cost[outVertexId] < r:
            upperBound.append(i)
    i = i + 1

for i in upperBound:
    centerPoint = graph.vertex(i).point()
    rb = QgsRubberBand(qgis.utils.iface.mapCanvas(), True)
    rb.setColor(Qt.red)
    rb.addPoint(QgsPoint(centerPoint.x() - delta, centerPoint.y() - delta))
    rb.addPoint(QgsPoint(centerPoint.x() + delta, centerPoint.y() - delta))
    rb.addPoint(QgsPoint(centerPoint.x() + delta, centerPoint.y() + delta))
    rb.addPoint(QgsPoint(centerPoint.x() - delta, centerPoint.y() + delta))
```

QGIS Server Python Plugins

- Server Filter Plugins architecture
 - requestReady
 - sendResponse
 - responseComplete
- Raising exception from a plugin
- Writing a server plugin
 - Plugin files
 - `__init__.py`
 - `HelloServer.py`
 - Modifying the input
 - Modifying or replacing the output
- Access control plugin
 - Plugin files
 - `__init__.py`
 - `AccessControl.py`
 - `layerFilterExpression`
 - `layerFilterSubsetString`
 - `layerPermissions`
 - `authorizedLayerAttributes`
 - `allowToEdit`
 - `cacheKey`

Python plugins can also run on QGIS Server (see: *label_qgisserver*): by using the *server interface* (`QgsServerInterface`) a Python plugin running on the server can alter the behavior of existing core services (**WMS**, **WFS** etc.).

With the *server filter interface* (`QgsServerFilter`) we can change the input parameters, change the generated output or even by providing new services.

With the *access control interface* (`QgsAccessControlFilter`) we can apply some access restriction per requests.

21.1 Server Filter Plugins architecture

Server python plugins are loaded once when the FCGI application starts. They register one or more `QgsServerFilter` (from this point, you might find useful a quick look to the [server plugins API docs](#)). Each filter should implement at least one of three callbacks:

- `requestReady()`
- `responseComplete()`
- `sendResponse()`

All filters have access to the request/response object (`QgsRequestHandler`) and can manipulate all its properties (input/output) and raise exceptions (while in a quite particular way as we'll see below).

Here is a pseudo code showing a typical server session and when the filter's callbacks are called:

- **Get the incoming request**
 - create GET/POST/SOAP request handler
 - pass request to an instance of `QgsServerInterface`
 - call plugins `requestReady()` filters
 - **if there is not a response**
 - * **if SERVICE is WMS/WFS/WCS**
 - **create WMS/WFS/WCS server**
 - call server's `executeRequest()` and possibly call `sendResponse()` plugin filters when streaming output or store the byte stream output and content type in the request handler
 - * call plugins `responseComplete()` filters
 - call plugins `sendResponse()` filters
 - request handler output the response

The following paragraphs describe the available callbacks in details.

21.1.1 `requestReady`

This is called when the request is ready: incoming URL and data have been parsed and before entering the core services (WMS, WFS etc.) switch, this is the point where you can manipulate the input and perform actions like:

- authentication/authorization
- redirects
- add/remove certain parameters (typenames for example)
- raise exceptions

You could even substitute a core service completely by changing `SERVICE` parameter and hence bypassing the core service completely (not that this make much sense though).

21.1.2 `sendResponse`

This is called whenever output is sent to **FCGI `stdout`** (and from there, to the client), this is normally done after core services have finished their process and after `responseComplete` hook was called, but in a few cases XML can become so huge that a streaming XML implementation was needed (WFS GetFeature is one of them), in this case, `sendResponse()` is called multiple times before the response is complete (and before `responseComplete()` is called). The obvious consequence is that `sendResponse()` is normally called once but might be exceptionally called multiple times and in that case (and only in that case) it is also called before `responseComplete()`.

`sendResponse()` is the best place for direct manipulation of core service's output and while `responseComplete()` is typically also an option, `sendResponse()` is the only viable option in case of streaming services.

21.1.3 responseComplete

This is called once when core services (if hit) finish their process and the request is ready to be sent to the client. As discussed above, this is normally called before `sendResponse()` except for streaming services (or other plugin filters) that might have called `sendResponse()` earlier.

`responseComplete()` is the ideal place to provide new services implementation (WPS or custom services) and to perform direct manipulation of the output coming from core services (for example to add a watermark upon a WMS image).

21.2 Raising exception from a plugin

Some work has still to be done on this topic: the current implementation can distinguish between handled and unhandled exceptions by setting a `QgsRequestHandler` property to an instance of `QgsMapServiceException`, this way the main C++ code can catch handled python exceptions and ignore unhandled exceptions (or better: log them).

This approach basically works but it is not very “pythonic”: a better approach would be to raise exceptions from python code and see them bubbling up into C++ loop for being handled there.

21.3 Writing a server plugin

A server plugins is just a standard QGIS Python plugin as described in [Разработка расширений на Python](#), that just provides an additional (or alternative) interface: a typical QGIS desktop plugin has access to QGIS application through the `QgisInterface` instance, a server plugin has also access to a `QgsServerInterface`.

To tell QGIS Server that a plugin has a server interface, a special metadata entry is needed (in `metadata.txt`)

```
server=True
```

The example plugin discussed here (with many more example filters) is available on github: [QGIS HelloServer Example Plugin](#)

21.3.1 Plugin files

Here's the directory structure of our example server plugin

```
PYTHON_PLUGINS_PATH/
HelloServer/
__init__.py    --> *required*
HelloServer.py  --> *required*
metadata.txt   --> *required*
```

21.3.2 __init__.py

This file is required by Python's import system. Also, QGIS Server requires that this file contains a `serverClassFactory()` function, which is called when the plugin gets loaded into QGIS Server when the server starts. It receives reference to instance of `QgsServerInterface` and must return instance of your plugin's class. This is how the example plugin `__init__.py` looks like:

```
# -*- coding: utf-8 -*-

def serverClassFactory(serverIface):
    from HelloServer import HelloServerServer
    return HelloServerServer(serverIface)
```

21.3.3 HelloServer.py

This is where the magic happens and this is how magic looks like: (e.g. `HelloServer.py`)

A server plugin typically consists in one or more callbacks packed into objects called `QgsServerFilter`.

Each `QgsServerFilter` implements one or more of the following callbacks:

- `requestReady()`
- `responseComplete()`
- `sendResponse()`

The following example implements a minimal filter which prints `HelloServer!` in case the `SERVICE` parameter equals to “HELLO”:

```
from qgis.server import *
from qgis.core import *

class HelloFilter(QgsServerFilter):

    def __init__(self, serverIface):
        super(HelloFilter, self).__init__(serverIface)

    def responseComplete(self):
        request = self.serverInterface().requestHandler()
        params = request.parameterMap()
        if params.get('SERVICE', '').upper() == 'HELLO':
            request.clearHeaders()
            request.setHeader('Content-type', 'text/plain')
            request.clearBody()
            request.appendBody('HelloServer!')
```

The filters must be registered into the `serverIface` as in the following example:

```
class HelloServerServer:
    def __init__(self, serverIface):
        # Save reference to the QGIS server interface
        self.serverIface = serverIface
        serverIface.registerFilter(HelloFilter, 100)
```

The second parameter of `registerFilter()` allows to set a priority which defines the order for the callbacks with the same name (the lower priority is invoked first).

By using the three callbacks, plugins can manipulate the input and/or the output of the server in many different ways. In every moment, the plugin instance has access to the `QgsRequestHandler` through the `QgsServerInterface`, the `QgsRequestHandler` has plenty of methods that can be used to alter the input parameters before entering the core processing of the server (by using `requestReady()`) or after the request has been processed by the core services (by using `sendResponse()`).

The following examples cover some common use cases:

21.3.4 Modifying the input

The example plugin contains a test example that changes input parameters coming from the query string, in this example a new parameter is injected into the (already parsed) *parameterMap*, this parameter is then visible by core services (WMS etc.), at the end of core services processing we check that the parameter is still there:

```
from qgis.server import *
from qgis.core import *

class ParamsFilter(QgsServerFilter):

    def __init__(self, serverIface):
        super(ParamsFilter, self).__init__(serverIface)

    def requestReady(self):
        request = self.serverInterface().requestHandler()
        params = request.parameterMap()
        request.setParameter('TEST_NEW_PARAM', 'ParamsFilter')

    def responseComplete(self):
        request = self.serverInterface().requestHandler()
        params = request.parameterMap()
        if params.get('TEST_NEW_PARAM') == 'ParamsFilter':
            QgsMessageLog.logMessage("SUCCESS - ParamsFilter.responseComplete", 'plugin', QgsMessageLog.INFO)
        else:
            QgsMessageLog.logMessage("FAIL - ParamsFilter.responseComplete", 'plugin', QgsMessageLog.CRITICAL)
```

This is an extract of what you see in the log file:

```
src/core/qgsmessagelog.cpp: 45: (logMessage) [0ms] 2014-12-12T12:39:29 plugin[0] HelloServerServer - loading fi...
src/core/qgsmessagelog.cpp: 45: (logMessage) [1ms] 2014-12-12T12:39:29 Server[0] Server plugin HelloServer load...
src/core/qgsmessagelog.cpp: 45: (logMessage) [0ms] 2014-12-12T12:39:29 Server[0] Server python plugins loaded
src/mapserver/qgsgetrequesthandler.cpp: 35: (parseInput) [0ms] query string is: SERVICE=HELLO&request=GetOutput
src/mapserver/qgshttprequesthandler.cpp: 547: (requestStringToParameterMap) [1ms] inserting pair SERVICE // HEL...
src/mapserver/qgshttprequesthandler.cpp: 547: (requestStringToParameterMap) [0ms] inserting pair REQUEST // Get...
src/mapserver/qgsserverfilter.cpp: 42: (requestReady) [0ms] QgsServerFilter plugin default requestReady called
src/core/qgsmessagelog.cpp: 45: (logMessage) [0ms] 2014-12-12T12:39:29 plugin[0] HelloFilter.requestReady
src/mapserver/qgis_map_serv.cpp: 235: (configPath) [0ms] Using default configuration file path: /home/xxx/apps/...
src/mapserver/qgshttprequesthandler.cpp: 49: (setHttpResponse) [0ms] Checking byte array is ok to set...
src/mapserver/qgshttprequesthandler.cpp: 59: (setHttpResponse) [0ms] Byte array looks good, setting response...
src/core/qgsmessagelog.cpp: 45: (logMessage) [0ms] 2014-12-12T12:39:29 plugin[0] HelloFilter.responseComplete
src/core/qgsmessagelog.cpp: 45: (logMessage) [0ms] 2014-12-12T12:39:29 plugin[0] SUCCESS - ParamsFilter.respon...
src/core/qgsmessagelog.cpp: 45: (logMessage) [0ms] 2014-12-12T12:39:29 plugin[0] RemoteConsoleFilter.responseCom...
src/mapserver/qgshttprequesthandler.cpp: 158: (sendResponse) [0ms] Sending HTTP response
src/core/qgsmessagelog.cpp: 45: (logMessage) [0ms] 2014-12-12T12:39:29 plugin[0] HelloFilter.sendResponse
```

On line 13 the “SUCCESS” string indicates that the plugin passed the test.

The same technique can be exploited to use a custom service instead of a core one: you could for example skip a **WFS SERVICE** request or any other core request just by changing the **SERVICE** parameter to something different and the core service will be skipped, then you can inject your custom results into the output and send them to the client (this is explained here below).

21.3.5 Modifying or replacing the output

The watermark filter example shows how to replace the WMS output with a new image obtained by adding a watermark image on the top of the WMS image generated by the WMS core service:

```
import os

from qgis.server import *
from qgis.core import *
from PyQt4.QtCore import *
from PyQt4.QtGui import *

class WatermarkFilter(QgsServerFilter):

    def __init__(self, serverIface):
        super(WatermarkFilter, self).__init__(serverIface)

    def responseComplete(self):
        request = self.serverInterface().requestHandler()
        params = request.parameterMap( )
        # Do some checks
        if (request.parameter('SERVICE').upper() == 'WMS' \
            and request.parameter('REQUEST').upper() == 'GETMAP' \
            and not request.exceptionRaised()):
            QgsMessageLog.logMessage("WatermarkFilter.responseComplete: image ready %s" % request.infoFormat(),
            # Get the image
            img = QImage()
            img.loadFromData(request.body())
            # Adds the watermark
            watermark = QImage(os.path.join(os.path.dirname(__file__), 'media/watermark.png'))
            p = QPainter(img)
            p.drawImage(QRect( 20, 20, 40, 40), watermark)
            p.end()
            ba = QByteArray()
            buffer = QBuffer(ba)
            buffer.open(QIODevice.WriteOnly)
            img.save(buffer, "PNG")
            # Set the body
            request.clearBody()
            request.appendBody(ba)
```

In this example the **SERVICE** parameter value is checked and if the incoming request is a **WMS GETMAP** and no exceptions have been set by a previously executed plugin or by the core service (WMS in this case), the WMS generated image is retrieved from the output buffer and the watermark image is added. The final step is to clear the output buffer and replace it with the newly generated image. Please note that in a real-world situation we should also check for the requested image type instead of returning PNG in any case.

21.4 Access control plugin

21.4.1 Plugin files

Here's the directory structure of our example server plugin:

```
PYTHON_PLUGINS_PATH/
MyAccessControl/
__init__.py    --> *required*
AccessControl.py  --> *required*
metadata.txt   --> *required*
```

21.4.2 `__init__.py`

This file is required by Python's import system. As for all QGIS server plugins, this file contains a `serverClassFactory()` function, which is called when the plugin gets loaded into QGIS Server when the server starts. It receives reference to instance of `QgsServerInterface` and must return instance of your plugin's class. This is how the example plugin `__init__.py` looks like:

```
# -*- coding: utf-8 -*-

def serverClassFactory(server_iface):
    from MyAccessControl.AccessControl import AccessControl
    return AccessControl(server_iface)
```

21.4.3 `AccessControl.py`

```
class AccessControl(QgsAccessControlFilter):

    def __init__(self, server_iface):
        super(QgsAccessControlFilter, self).__init__(server_iface)

    def layerFilterExpression(self, layer):
        """ Return an additional expression filter """
        return super(QgsAccessControlFilter, self).layerFilterExpression(layer)

    def layerFilterSubsetString(self, layer):
        """ Return an additional subset string (typically SQL) filter """
        return super(QgsAccessControlFilter, self).layerFilterSubsetString(layer)

    def layerPermissions(self, layer):
        """ Return the layer rights """
        return super(QgsAccessControlFilter, self).layerPermissions(layer)

    def authorizedLayerAttributes(self, layer, attributes):
        """ Return the authorised layer attributes """
        return super(QgsAccessControlFilter, self).authorizedLayerAttributes(layer, attributes)

    def allowToEdit(self, layer, feature):
        """ Are we authorise to modify the following geometry """
        return super(QgsAccessControlFilter, self).allowToEdit(layer, feature)

    def cacheKey(self):
        return super(QgsAccessControlFilter, self).cacheKey()
```

This example gives a full access for everybody.

It's the role of the plugin to know who is logged on.

On all those methods we have the `layer` on argument to be able to customise the restriction per layer.

21.4.4 `layerFilterExpression`

Used to add an Expression to limit the results, e.g.:

```
def layerFilterExpression(self, layer):
    return "$role = 'user'"
```

To limit on feature where the attribute `role` is equals to "user".

21.4.5 layerFilterSubsetString

Same than the previous but use the `SubsetString` (executed in the database)

```
def layerFilterSubsetString(self, layer):
    return "role = 'user'"
```

To limit on feature where the attribute role is equals to “user”.

21.4.6 layerPermissions

Limit the access to the layer.

Return an object of type `QgsAccessControlFilter.LayerPermissions`, who has the properties:

- `canRead` to see him in the `GetCapabilities` and have read access.
- `canInsert` to be able to insert a new feature.
- `canUpdate` to be able to update a feature.
- `canDelete` to be able to delete a feature.

Example:

```
def layerPermissions(self, layer):
    rights = QgsAccessControlFilter.LayerPermissions()
    rights.canRead = True
    rights.canRead = rights.canInsert = rights.canUpdate = rights.canDelete = False
    return rights
```

To limit everything on read only access.

21.4.7 authorizedLayerAttributes

Used to limit the visibility of a specific subset of attribute.

The argument attribute return the current set of visible attributes.

Example:

```
def authorizedLayerAttributes(self, layer, attributes):
    return [a for a in attributes if a != "role"]
```

To hide the ‘role’ attribute.

21.4.8 allowToEdit

This is used to limit the editing on a subset of features.

It is used in the WFS-Transaction protocol.

Example:

```
def allowToEdit(self, layer, feature):
    return feature.attribute('role') == 'user'
```

To be able to edit only feature that has the attribute role with the value user.

21.4.9 cacheKey

QGIS server maintain a cache of the capabilities then to have a cache per role you can return the role in this method. Or return `None` to completely disable the cache.

отрисовка карты, 46
простая, 47
печать карты, 46
вывод
 растровое изображение, 49
 с использованием компоновщика карт, 48
 PDF, 50

API, 1

attributes
 vector layers features, 17

calculating values, 50

categorized symbology renderer, 27

console
 Python, 2

coordinate reference systems, 39

custom
 renderers, 31

custom applications
 running, 4

custom applications; standalone scripts
 Python, 3

delimited text layers
 loading, 10

environment
 PYQGIS_STARTUP, 2

expressions, 50
 evaluating, 52
 parsing, 52

features
 attributes, vector layers, 17
 vector layers iterating, 18
 vector layers selection, 17

filtering, 50

geometry
 access to, 35
 construction, 35
 handling, 33
 predicates and operations, 36

GPX files
 loading, 10

graduated symbol renderer, 27

iterating
 features, vector layers, 18

loading
 delimited text layers, 10
 GPX files, 10
 MySQL geometries, 10
 OGR layers, 9
 PostGIS layers, 9
 projects, 7
 raster layers, 10
 SpatiaLite layers, 10
 vector layers, 9
 WMS raster, 11

map canvas, 40
 architecture, 41
 embedding, 41
 map tools, 42
 rubber bands, 43
 vertex markers, 43
 writing custom canvas items, 45
 writing custom map tools, 44

map layer registry, 11
 adding a layer, 11

memory provider, 24

metadata, 64, 97

metadata.txt, 64, 97

MySQL geometries
 loading, 10

OGR layers
 loading, 9

plugin layers, 74
 subclassed QgsPluginLayer, 75

plugins, 79
 access attributes of selected features, 83
 call method with shortcut, 83
 code snippets, 67
 developing, 59
 documentation, 66
 implementing help, 66
 metadata.txt, 63, 64, 97

- official python plugin repository, 80
- releasing, 74
- resource file, 66
- testing, 74
- toggle layers, 83
- writing, 62
 - writing code, 62
- PostGIS layers
 - loading, 9
- projections, 40
- projects
 - loading, 7
- PYQGIS_STARTUP
 - environment, 2
- Python
 - console, 2
 - custom applications; standalone scripts, 3
 - developing plugins, 59
 - developing server plugins, 94
 - plugins, 3
 - startup, 1
 - startup.py, 2
- querying
 - raster layers, 15
- raster layers
 - details, 13
 - loading, 10
 - querying, 15
 - refreshing, 15
 - renderer, 13
 - using, 12
- rasters
 - multi band, 14
 - single band, 14
- refreshing
 - raster layers, 15
- renderers
 - custom, 31
- resources.qrc, 66
- running
 - custom applications, 4
- selection
 - features, vector layers, 17
- server plugins
 - developing, 94
 - metadata.txt, 97
- settings
 - global, 55
 - map layer, 56
 - project, 55
 - reading, 53
 - storing, 53
- single symbol renderer, 26
- spatial index
 - using, 22
- SpatiaLite layers